

Aberystwyth University

Fuzzy complex numbers and their application for classifiers performance evaluation

Fu, X.; Shen, Q.

Published in:
Pattern Recognition

DOI:
[10.1016/j.patcog.2011.01.011](https://doi.org/10.1016/j.patcog.2011.01.011)

Publication date:
2011

Citation for published version (APA):

Fu, X., & Shen, Q. (2011). Fuzzy complex numbers and their application for classifiers performance evaluation. *Pattern Recognition*, 44(7), 1403-1417. <https://doi.org/10.1016/j.patcog.2011.01.011>

General rights

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400
email: is@aber.ac.uk

Fuzzy Complex Numbers and their Application for Classifiers Performance Evaluation

Xin Fu, Qiang Shen*

*Department of Computer Science, Penglais Campus, Aberystwyth University,
Aberystwyth, SY23 3DB, UK*

Abstract

There are a variety of measures to describe classification performance with respect to different criteria and they are often represented by numerical values. Psychologists have commented that human beings can only reasonably manage to process seven or-so items of information at any one time. Hence, selecting the best classifier amongst a number of alternatives whose performances are represented by similar numerical values is a difficult problem faced by end users. To alleviate such difficulty, this paper presents a new method of linguistic evaluation of classifiers performance. In particular, an innovative notion of fuzzy complex numbers (FCNs) is developed in an effort to represent and aggregate different evaluation measures conjunctively without necessarily integrating them. Such an approach well maintains the underlying semantics of different evaluation measures, thereby ensuring that the resulting ranking scores are readily interpretable and the inference easily explainable. The utility and applicability of this research are illustrated by means of an experiment which evaluates the performance of 16 classi-

*Corresponding author. Tel: +44 (0)1970621825; fax: +44 (0)1970628536
Email addresses: `xin.fu@syngenta.com` (Xin Fu), `qqs@aber.ac.uk` (Qiang Shen)

fiers using different benchmark datasets. The effectiveness of the proposed approach is compared to conventional statistical approach. Experimental results show that the FCN-based performance evaluation provides an intuitively reliable and consistent means in assisting end users to make informed choices of available classifiers.

Keywords: Fuzzy complex numbers, performance evaluation, feature selection, pattern classification

1. Introduction

Pattern classification has been successfully applied to many application domains. For instance, classifiers have been developed in conjunction with feature selection approaches [1, 2, 3] to perform tasks such as image analysis [4], face recognition, and remote sensing. However, classifiers which are applied to different problem domains and trained by various learning algorithms can perform quite differently. In fact, evaluating classifier performance is perhaps one of the most deceiving and tricky problems in classifier design [5]. To tackle this important problem, a variety of measures have been proposed to describe the classification performance with respect to different criteria, ranging from classification accuracy and error rate, through storage complexity and computation time to sensitivity and robustness [6, 7, 8].

In principle, performance measures can be qualitative or quantitative. Quantitative measures are naturally expressed by numerical values. However, using such seemingly precise measures to compare a number of classifiers, their performances may turn out to be very close in value. Such pure numerical values with small differences may not make much sense to the

user who would like to make an informed choice of available classifiers. It would be more appropriate and often desirable to describe the relative performance of the classifiers using linguistic terms, such as *good*, *average* and *bad*. The assessment in qualitative measures often reflects the knowledge of domain experts and such measures are usefully represented by linguistic terms. Compared to numerical values, linguistic terms make it easier for users to understand the evaluation outcome. Indeed, human beings appear to use qualitative reasoning when initially attempting to gain an understanding of a problem.

It is worth noting that in order to obtain a fair evaluation of classification performance, several measures may need to be taken into account concurrently. For example, *precision* and *recall* are two widely used statistical measures which jointly provide a common indication of classifier performance. However, for many classification tasks, these two statistical measures should not be utilised in isolation, as neither measure alone contains sufficient information to assess the performance. It can be trivial to achieve a *recall* score of 1.0 by simply assigning all instances to a certain class. Similarly, *precision* may remain high by classifying only a few instances. To combat this, *precision* and *recall* are usually combined into a single measure, such as the *F-Measure* which is the weighted harmonic mean of these two measures [9]. Unfortunately, in so doing, the underlying semantics associated with these two base measures may be destroyed, even if a qualitative version of the *precision* and *recall* measures are used. Thus, it is of great interest and potentially beneficial to establish a new mechanism which can maintain the associated semantics when performing evaluation without necessarily using

just one transformed measure. Inspired by this observation, this paper proposes a novel framework of fuzzy complex numbers (FCNs) that will entail effective and efficient representation of different types of evaluation measures concurrently and explicitly.

Note that the term FCN is not new; the concept of complex numbers has been proposed in the literature. For example, a form of *fuzzy complex numbers* has been defined in [10] as a mapping from the conventional complex number plane to the real-valued interval $[0, 1]$. Such an FCN is therefore, simply a type-1 fuzzy set [11]. Work on the differentiation and integration of this type of FCNs has been proposed in [12, 13], with more advanced follow-on research on their mathematical properties reported in [14, 15, 16, 17]. Recently, in combining fuzzy complex analysis and statistical learning theory, important theorems (of a learning process) based on fuzzy complex random samples were developed [18]. This work further demonstrates the interesting properties of so-called *rectangular fuzzy complex numbers*, which are a special type of FCN as proposed in [10]. Another relevant development is the notion that relates real complex numbers to fuzzy sets [19]. It introduces a new type of set, named *complex fuzzy sets*, to allow the membership value of a standard fuzzy set to be represented using a classical complex number. However, as discussed in [19], it may be difficult to identify suitable real-world problems for the use of such complex-valued memberships. Despite this obstacle, work has continued along this theme of research. This is evident in that *complex fuzzy sets* have been integrated with propositional logic to construct a specific instance of fuzzy reasoning systems [20].

Existing research regarding the concept of FCNs is all framed by either

giving conventional complex numbers a real-valued membership or assigning a fuzzy set element to a complex number as its membership value. These approaches are rather different from what is proposed in this paper, where both the real and imaginary values of an FCN are in general, themselves fuzzy numbers; each with an embedded semantic meaning. By extending the initial definition and calculus of the proposed FCNs as given in [21], important algebraic properties, including closure, associativity, commutativity and distributivity of such FCN are established in the present work. This helps to support the aggregation process of FCNs. This new aggregation approach enhances the original work of [21] by allowing an arbitrary number of components of an FCN to be integrated in a random order. Further, the newly derived modulus of this type of FCN is introduced to impose an order over a given set of FCNs. Apart from these theoretical contributions, this work is applied to a completely new problem domain to gauge the performance of classifiers. This differs significantly from what is reported in [21]. The underlying development of this new approach to FCNs is general. It offers great potential for other application problems which exhibit similar characteristics as those of multi-criteria performance evaluation (e.g. student performance evaluation [22]).

The rest of this paper is organized as follows. Section 2 proposes the novel approach to the notion of FCNs, which extends real-valued complex numbers to representing two-dimensional linguistic-valued measures concurrently. In Section 3, this approach is utilised to construct a general linguistic evaluation method which effectively ranks the overall performance of different classifiers. For computational simplicity, such a general evaluation method is specified

using the linear triangular fuzzy sets. Details of the implemented classifier evaluator are also presented in this section. Section 4 describes the experimentation carried out on standard benchmark datasets and discusses the evaluation results. The paper is concluded in Section 5, with the perspective of further work pointed out.

2. Fuzzy complex numbers

2.1. Prerequisites

2.1.1. Fuzzy numbers

Fuzzy numbers are a special type of fuzzy sets which can be used to represent imprecise quantities such as *about 0.6*. Fuzzy numbers map real values from \mathbb{R} on to a closed interval $[0, 1]$.

Definition 1. (*Fuzzy numbers [23]*) A fuzzy number, \tilde{a} , is defined as:

$$\tilde{a} = \{(x, \mu_{\tilde{a}}(x)) \mid \mu_{\tilde{a}}(x) \in [0, 1], x \in \mathbb{R}\},$$

and satisfies the following properties:

- a) *Continuity:* $\mu_{\tilde{a}}(x)$ is a continuous function mapping from \mathbb{R} to a closed interval $[0, 1]$.
- b) *Normality:* i.e. $\exists x \in \mathbb{R}$ and $\mu_{\tilde{a}}(x) = 1$.
- c) *Convexity:* i.e. $\forall x, y, z \in \mathbb{R}$, if $x \leq y \leq z$ then $\mu_{\tilde{a}}(y) \geq \min(\mu_{\tilde{a}}(x), \mu_{\tilde{a}}(z))$.
- d) *Boundness of support:* i.e. $\exists S \in \mathbb{R}$ and $\forall x \in \mathbb{R}$, if $|x| \geq S$ then $\mu_{\tilde{a}}(x) = 0$.

2.1.2. Extension principle

The extension principle [24] provides a fundamental mechanism to translate conventional boolean set-based concepts into their fuzzy-set counterparts. In this work, it forms the foundation to derive the arithmetic operations of the proposed FCNs.

Definition 2. Let $f: \mathbb{R}^n \rightarrow \mathbb{R}$ be a function and A_1, \dots, A_n be fuzzy sets. Then $B = f(A_1, \dots, A_n)$ is a fuzzy set with the following membership function:

$$\mu_B(y) = \bigvee_{y=f(x_1, \dots, x_n)} (\mu_{A_1}(x_1) \wedge \dots \wedge \mu_{A_n}(x_n)). \quad (1)$$

Note that the operators \wedge and \vee above denote a given t -norm and s -norm respectively. Throughout this paper, they are interpreted using the min and max operators.

2.2. Definition of FCNs

Inherit from the real complex numbers, an FCN, \tilde{z} , is defined in the form of:

$$\tilde{z} = \tilde{a} + i\tilde{b}, \quad (2)$$

where both \tilde{a} and \tilde{b} are fuzzy numbers with membership functions $\mu_{\tilde{a}}(x)$ and $\mu_{\tilde{b}}(x)$, regarding a given domain variable x . \tilde{a} is the real part of \tilde{z} while \tilde{b} represents the imaginary part, i.e. $Re(\tilde{z}) = \tilde{a}$ and $Im(\tilde{z}) = \tilde{b}$.

An FCN can be visually shown as in Figure. 1. Importantly, in general, for a given \tilde{z} , both $Re(\tilde{z})$ and $Im(\tilde{z})$ are fuzzy. If \tilde{b} does not exist, \tilde{z} degenerates to a fuzzy number. Further, if \tilde{b} does not exist and \tilde{a} itself degenerates to a real number, then \tilde{z} degenerates to a real number.




Figure 1: A fuzzy complex number

2.3. Operations on FCNs

The operations on the proposed FCNs are a straightforward extension of those on real complex numbers. Let $\tilde{z}_1 = \tilde{a} + i\tilde{b}$ and $\tilde{z}_2 = \tilde{c} + i\tilde{d}$ be two FCNs, where \tilde{a} , \tilde{b} , \tilde{c} and \tilde{d} are fuzzy numbers with membership functions $\mu_{\tilde{a}}(x)$, $\mu_{\tilde{b}}(x)$, $\mu_{\tilde{c}}(x)$ and $\mu_{\tilde{d}}(x)$, respectively. The basic arithmetic operations on \tilde{z}_1 and \tilde{z}_2 are defined as follows:

- Addition

$$\tilde{z}_1 + \tilde{z}_2 = (\tilde{a} + \tilde{c}) + i(\tilde{b} + \tilde{d}), \quad (3)$$

where $\tilde{a} + \tilde{c}$ and $\tilde{b} + \tilde{d}$ are newly derived fuzzy numbers with the following membership functions:

$$\begin{aligned} \mu_{\tilde{a}+\tilde{c}}(y) &= \bigvee_{y=x_1+x_2} (\mu_{\tilde{a}}(x_1) \wedge \mu_{\tilde{c}}(x_2)), \\ \mu_{\tilde{b}+\tilde{d}}(y) &= \bigvee_{y=x_1+x_2} (\mu_{\tilde{b}}(x_1) \wedge \mu_{\tilde{d}}(x_2)). \end{aligned} \quad (4)$$

- Subtraction

$$\tilde{z}_1 - \tilde{z}_2 = (\tilde{a} - \tilde{c}) + i(\tilde{b} - \tilde{d}), \quad (5)$$

where $\tilde{a}-\tilde{c}$ and $\tilde{b}-\tilde{d}$ are newly derived fuzzy numbers with the following membership functions:

$$\begin{aligned}\mu_{\tilde{a}-\tilde{c}}(y) &= \bigvee_{y=x_1-x_2} (\mu_{\tilde{a}}(x_1) \wedge \mu_{\tilde{c}}(x_2)), \\ \mu_{\tilde{b}-\tilde{d}}(y) &= \bigvee_{y=x_1-x_2} (\mu_{\tilde{b}}(x_1) \wedge \mu_{\tilde{d}}(x_2)).\end{aligned}\tag{6}$$

- Multiplication

$$\tilde{z}_1 \times \tilde{z}_2 = (\tilde{a}\tilde{c} - \tilde{b}\tilde{d}) + i(\tilde{b}\tilde{c} + \tilde{a}\tilde{d}),\tag{7}$$

where $\tilde{a}\tilde{c} - \tilde{b}\tilde{d}$ and $\tilde{b}\tilde{c} + \tilde{a}\tilde{d}$ are newly derived fuzzy numbers with the following membership functions:

$$\begin{aligned}\mu_{\tilde{a}\tilde{c}-\tilde{b}\tilde{d}}(y) &= \bigvee_{y=x_1x_2-x_3x_4} (\mu_{\tilde{a}}(x_1) \wedge \mu_{\tilde{c}}(x_2) \wedge \mu_{\tilde{b}}(x_3) \wedge \mu_{\tilde{d}}(x_4)), \\ \mu_{\tilde{b}\tilde{c}+\tilde{a}\tilde{d}}(y) &= \bigvee_{y=x_1x_2+x_3x_4} (\mu_{\tilde{b}}(x_1) \wedge \mu_{\tilde{c}}(x_2) \wedge \mu_{\tilde{a}}(x_3) \wedge \mu_{\tilde{d}}(x_4)).\end{aligned}\tag{8}$$

- Division

$$\frac{\tilde{z}_1}{\tilde{z}_2} = \left(\frac{\tilde{a}\tilde{c} + \tilde{b}\tilde{d}}{\tilde{c}^2 + \tilde{d}^2} \right) + i \left(\frac{\tilde{b}\tilde{c} - \tilde{a}\tilde{d}}{\tilde{c}^2 + \tilde{d}^2} \right).\tag{9}$$

For notational simplicity, let $\tilde{t}_1 = \frac{\tilde{a}\tilde{c}+\tilde{b}\tilde{d}}{\tilde{c}^2+\tilde{d}^2}$ and $\tilde{t}_2 = \frac{\tilde{b}\tilde{c}-\tilde{a}\tilde{d}}{\tilde{c}^2+\tilde{d}^2}$, where \tilde{t}_1 and \tilde{t}_2 are newly derived fuzzy numbers with the following membership functions:

$$\mu_{\tilde{t}_1}(y) = \bigvee_{y=\frac{x_1x_3+x_2x_4}{x_3^2+x_4^2}, x_3^2+x_4^2 \neq 0} (\mu_{\tilde{a}}(x_1) \wedge \mu_{\tilde{b}}(x_2) \wedge \mu_{\tilde{c}}(x_3) \wedge \mu_{\tilde{d}}(x_4)),$$

$$\mu_{\tilde{t}_2}(y) = \bigvee_{y = \frac{x_2 x_3 - x_1 x_4}{x_3^2 + x_4^2}, x_3^2 + x_4^2 \neq 0} (\mu_{\tilde{a}}(x_1) \wedge \mu_{\tilde{b}}(x_2) \wedge \mu_{\tilde{c}}(x_3) \wedge \mu_{\tilde{d}}(x_4)). \quad (10)$$

- Modulus

Given $\tilde{z} = \tilde{a} + i\tilde{b}$, the modulus of \tilde{z} is defined:

$$|\tilde{z}| = \sqrt{\tilde{a}^2 + \tilde{b}^2}. \quad (11)$$

It is obvious that $|\tilde{z}|$ is a newly derived fuzzy number with the following membership function:

$$\mu_{|\tilde{z}|}(y) = \bigvee_{y = \sqrt{x_1^2 + x_2^2}} (\mu_{\tilde{a}}(x_1) \wedge \mu_{\tilde{b}}(x_2)). \quad (12)$$

Note that the *rectangular FCNs* as proposed in [10] are represented in a form that is similar to the present work (but have different interpretation). In performing addition and subtraction on these two types of FCN, the same results are obtained. However, for multiplication and division this is not the case. The *rectangular FCNs* are defined as type-1 fuzzy sets, and the basic arithmetic operations on them are developed using the extension principle.

The algebraic properties of the proposed FCNs are presented in the Appendix. These properties, including closure, associativity, commutativity and distributivity are important for the further exploration and application of this novel framework. In particular, the associativity and commutativity of FCNs are used to derive the aggregation of components of an FCN in the

next section.

2.4. Aggregation of Components of an FCN

Importantly, if there are more than two components involved in the problem domain, a hierarchical aggregation approach can be taken due to the commutativity of FCNs. That is, any two fuzzy numbers can be selected to construct a working FCN first. Then, the newly derived modulus of this FCN, together with a third fuzzy number can be used to construct another FCN. This process continues until all the involved fuzzy numbers are aggregated. For notation simplicity, arbitrary n components can be represented in one single FCN and each component is denoted as a fuzzy number.

Definition 3. Let $\tilde{a}_1, \dots, \tilde{a}_n$ be n fuzzy numbers, an aggregation operator τ is defined as:

$$\tau(\tilde{a}_1, \dots, \tilde{a}_n) = \sqrt{\tilde{a}_1^2 + \dots + \tilde{a}_n^2}. \quad (13)$$

Note that this aggregation results in a new fuzzy number. This can be obtained by directly applying Theorems 2 - 3 (see Appendix). Since the multiplication and addition on fuzzy numbers are commutative, different components can be aggregated in a random order with this aggregation operator.

3. Evaluation of classifiers performance

3.1. System overview

The problem considered herein is that of classifier performance evaluation. In particular, the classification task considered consists of two phases: feature selection and classification. Thus, this work helps to assist the end

user to determine what combinations of feature selectors and classifiers may outperform the others with respect to a variety of given criteria. Obviously, a system implemented for such experimentation involves two main processes: *Data Processing* and *Evaluation*, with each carrying out certain subtasks as outlined in Figure 2.




Figure 2: System overview

Initially, feature selection is utilised as the dimensionality reduction technique to extract a minimal feature subset from a given dataset while preserving the semantics of the original information. After that, a classifier learning step is employed to build a model or models which represent the relationship between the input data and the class labels from the training dataset. Then, the generated model is applied to predict the class labels of objects in the reduced testing dataset, using those selected features only.

The classification results obtained are recorded and fed to the *Evaluation* component for performance evaluation. The proposed FCNs notion is employed herein to enable such evaluation concurrently and explicitly. Finally,

ranked classifiers are provided to the end user to support decision making. Based on the resulting evaluation scores, the user may adjust the partition of the quantity space in an effort to improve the evaluation results. In this work, the focus lies on the implementation of the proposed FCNs for the *Evaluation* step. Technical details for accomplishing the relevant subtasks are described in the following subsections.

3.2. Fuzzification

In general, the results of classification may be either qualitative or quantitative. As argued previously, the absolute numerically-valued results (e.g. the probability associated with the class indices) of a given classifier may not be easily understood by the user. This is especially true when more than one value needs to be considered and whilst these numerical values are very close to each other. Instead of relying on the absolute real values, the relative performance of the classifiers may bear more information for the user. Thus, the numerical classification outcomes may be more humanly interpretable with fuzzy numbers or linguistic terms such as *High* and *Low* which help to capture the relative performance of a given classifier. In order to accomplish such subjective evaluation, a fuzzification process [25] is often employed, converting an observed input space into fuzzy sets defined in certain universes of discourse. Fuzzification of numerical real values also helps to “hide” the confidential context of performance, as the user may not be willing to disclose the actual values for certain sensitive evaluation metrics.

3.2.1. Fuzzy quantity space

Within the present work, the (relative) performance of a given classifier takes a value from a pre-defined fuzzy quantity space [26]. A fuzzy quantity space is simply a collection of all the membership functions defining the fuzzy sets that jointly partition a given universe of discourse. In particular, if defined on real numbers, the elements of a fuzzy quantity space are fuzzy numbers and such a fuzzy quantity space is denoted as Q_{FN} (see later for example). Fuzzy quantity spaces provide an intuitive way to represent a qualitative value through the use of gradual membership functions, enabling a flexible representation of domain knowledge. This is because a fuzzy quantity space consists of a finite number of fuzzy sets, different cardinalities reflect different detailed abstractions of the modelled variables.

3.2.2. Transforming a numerical value into a fuzzy set in Q_{FN}

In general, the classification results may take values from different physical dimensions and scales. Thus, a normalization process is firstly applied. This process normalises the range of the resultant values to the interval $[0, 1]$. Given a class attribute, its classification results obtained by using different classification approaches are represented by: v_1, v_2, \dots, v_n , where n is the total number of combinations of feature selectors and classifiers. The normalized values of these results are defined as follows:

$$Nor(v_i) = \frac{v_i - \min(v_1, v_2, \dots, v_n)}{\max(v_1, v_2, \dots, v_n) - \min(v_1, v_2, \dots, v_n)}, \quad (14)$$

where $i = 1, 2, \dots, n$.

The normalised results need to be mapped onto a pre-defined fuzzy quan-

tity space Q_{FN} . A matching mechanism is employed to determine which element of Q_{FN} best represents the given value.

Definition 4. *Given two fuzzy numbers A and B , the matching degree, S , between them is:*

$$S(A, B) = 1 - S_d(A, B), \quad (15)$$

where $S_d(A, B)$ denotes a distance measure between two normalized fuzzy sets.

Suppose that $Q_{FN} = \{V_{FN_1}, V_{FN_2}, \dots, V_{FN_n}\}$. Given a fuzzy set A , it is obvious that the larger the matching degree $S(V_{FN_i}, A)$ is, the more similar V_{FN_i} and A are, where $i \in \{1, 2, \dots, n\}$. V_{FN} is selected to represent A if $V_{FN} = \operatorname{argmax} S(V_{FN_i}, A)$, $i \in \{1, 2, \dots, n\}$.

3.3. Performance representation using FCNs

From the application point of view, an FCN is capable of representing two-dimensional inexact information concurrently. To support the task of classification performance evaluation, both the real and imaginary parts of a proposed FCN can be assigned with their embedding meanings (e.g. evaluation outcomes using two different measures). Having carried out the fuzzification step as described above, the classification value of a certain measure is represented by one of the pre-specified fuzzy numbers. Thus, the outcomes can be readily applied to construct the FCNs. For example, the real part can be utilised to represent the *precision* measure while the imaginary part represents the *recall* measure. As such, the modulus of the corresponding FCN offers a good indication of the overall system performance.

Importantly, if there are more than two evaluation measures involved, a hierarchical approach can be taken due to the commutativity of FCNs. That is, any two fuzzy numbers can be selected to construct a working FCN first. Then, the newly derived modulus of this FCN, together with a third fuzzy number can be used to construct another FCN. This process continues until all the involved fuzzy numbers are aggregated. Mathematically, the aggregation result of these fuzzy numbers is obviously equivalent to that which is obtained by applying Eq. (13) to all individual performance measures.

3.4. Overall performance ranking

This is a fairly straightforward sub-task: the overall performance of a classifier is decided on the basis of the modulus of the corresponding FCN. According to Theorem 3, the modulus of an FCN is a fuzzy number. The relevant position of individual outcomes can be readily compared and hence ranked using the conventional partial ordering relation holding amongst fuzzy numbers. If, however, it is desirable to have an absolute ordering, the resulting fuzzy numbers can be compared by defuzzifying these fuzzy numbers. There exist many defuzzification operators that may be applied for this purpose (see later for an example).

3.5. An implemented classifier evaluator

This subsection presents an implemented classifier evaluator which specifies the general evaluation approach. It is assumed that the relative performance is represented using fuzzy numbers which take values from the following fuzzy quantity space, $Q_{FN} = \{Worst, VL, L, M, H, VH, Best\}$, as shown in Figure 3. Although a wide range of membership functions may

be adopted to represent fuzzy sets, for computational efficiency, triangular membership functions are used here. A fuzzy set A with the triangular membership is denoted by $A = [a, b, c]$, where a is its left most element, b is the element whose membership value is 1, and c is its right most element. This is shown in Figure 4.




Figure 3: Fuzzy quantity space for implemented classifier evaluator




Figure 4: Representative value of a triangular fuzzy set $A = [a, b, c]$

In general, quantitative attributes which are represented by crisp values are often involved in the process of classifier performance evaluation. A fuzzification process is therefore needed when transforming a numerical value into a fuzzy set in Q_{FN} . This is achieved by: 1) normalising a crisp value x , $x \in D$ (the domain of the attribute in question), 2) treating the normalised value \bar{x} , $\bar{x} \in [0, 1]$ as a special case of triangular fuzzy numbers i.e. $[\bar{x}, \bar{x}, \bar{x}]$, and

3) calculating the degree of similarity between such a specific fuzzy number and an element of Q_{FN} . The degree of matching of two fuzzy numbers is a value within the range of $[0, 1]$. In this work, without losing generality, the *Hausdorff* distance [27] is employed to measure the fuzzy set matching degrees. This is defined below.

Definition 5. *Given two triangular fuzzy sets $A = [a_1, a_2, a_3]$ and $B = [b_1, b_2, b_3]$, $A \neq B$, the Hausdorff distance between them is defined as:*

$$S_d(A, B) = \max\{d(A, B), d(B, A)\} = \max\{\sup_{a \in A} \inf_{b \in B} d(a, b), \sup_{b \in B} \inf_{a \in A} d(a, b)\}, \quad (16)$$

where $d(a, b)$ is the normalised absolute distance between parameters a and b , i.e.

$$d(a, b) = \frac{|a - b|}{\max\{|b_3 - a_1|, |a_3 - b_1|\}}.$$

Once the distance between A and B is obtained, Eq. (15) can be applied to derive their matching degree. The fuzzification of a given fuzzy set A is deemed to be the element of Q_{FN} which receives the largest matching degree.

In order to derive an absolute overall performance ranking (amongst possible classifiers for use), the moduli of the constructed FCNs are defuzzified using their representative values [28]. For computational simplicity, the representative value of a triangular membership function $A = [a, b, c]$ (as shown in Figure 4) is defined as [29]:

$$Rep(A) = \frac{a + b + c}{3}. \quad (17)$$

Note that, this representative value also happens to be the centre of

gravity (CoG) of the area under the triangular membership function.

In this work, the number of involved evaluation measures can vary. When calculating the moduli of the constructed FCNs, the resulting representative values may be larger than 1 (e.g. the representative value of $|Best + iBest|$ is 1.414). A normalisation is therefore employed to make all the derived representative values lie within a common scale $[0, 1]$, in which 1 represents the classifier performs best, whereas 0 represents the classifier performs worst.

4. Experimentation and discussions

To verify the applicability and utility of the proposed method for FCN-based classifier evaluation, a set of experiments are carried out in this section. Four feature selectors are used in this investigation in conjunction with four different classifiers, creating 16 combinations. These are each evaluated over five standard benchmark datasets.

4.1. Datasets

Three benchmark datasets from the UCI Machine Learning Repository [30] (namely *glass*, *vehicle* and *sonar*) and two mammographic datasets (namely the Mammographic Image Analysis Society (MIAS) dataset [31] and the Digital Database of Screening Mammography (DDSM) dataset [32]) are used in this paper for experimental investigation.

The *glass* dataset consists of 10 attributes (including the index number) and all these attributes are continuously valued. There are 214 instances in total and they can be classified into 7 different classes. The *vehicle* dataset aims to classify a silhouette into one of the four given types of vehicle. The dataset records 946 instances together with 18 features which are extracted

from the silhouette images. The *sonar* dataset contains 111 mine patterns and 97 rock patterns which are obtained by bouncing sonar signals off a metal cylinder at different angles and conditions. Each pattern is represented by 60 attributes which take values from $[0, 1]$.

The MIAS dataset contains 322 digitised mammograms images which are taken from 161 women by the UK National Breast Screening Programme. Each image is represented by 281 features extracted using the process described in [33]. Similarly, the DDSM dataset consists of 281 features obtained in the same manner as with MIAS dataset but from 832 mammograms images. Three mammographic experts are invited to classify all the images in the above two datasets into the following four BIRADS categories, according to their density [34]:

- BIRADS 1: the breast is almost entirely fatty.
- BIRADS 2: there is some fibro-glandular tissue.
- BIRADS 3: the breast is heterogeneously dense.
- BIRADS 4: the breast is extremely dense.

Note that, if three experts classified the image into different classes, the consensus opinion is achieved by applying the method reported in [33].

4.2. Combined use of feature selection and classification

4.2.1. Feature selection

In many real-world applications of feature-based pattern classification, due to the involvement of noisy, irrelevant or misleading features, it is likely that not all the input features are useful [35]. When considering learning

tasks, it is evident that using an increasing number of features requires an exponentially increasing number of training objects and this is called the curse of dimensionality in the literature. Thus, it is important to apply feature selection (FS) to remove noisy and redundant features, while tackling the curse of dimensionality. In addition to the benefits of gaining computational efficiency and removing noisy inputs, FS also helps to reduce the costs associated with collecting large amounts of unnecessary (feature) measurements. However, choosing the most informative features is not an easy task as there may be many inter-dependencies between subsets of features. Amongst many FS techniques designed to support classification tasks [1, 3], the following four feature selectors are employed in this experimentation due to their availability:

- Consistency subset evaluator (CS) [36]: This is a probabilistic approach to feature selection. A subset of features is evaluated by means of the consistency criterion which specifies to what extent the subset can be accepted. Consistency of any subset can never be lower than that of the full set of features. Therefore, this subset evaluator is used in conjunction with a search algorithm which looks for the smallest subset with consistency equal to that of the full set of features.
- Fuzzy-rough feature selection (FRFS) [37]: Fuzzy-rough sets encapsulate the related but distinct concepts of vagueness (fuzzy sets) and indiscernibility (rough sets), offering a high degree of flexibility when dealing with real-valued data. Conventional fuzzy-rough sets [38] extend the rough set concepts [39, 40, 41] through the use of fuzzy

equivalence classes [42], but process several problems (e.g. complexity of calculating the Cartesian product of fuzzy equivalence classes, and fuzzy lower approximation not being a subset of fuzzy upper approximation) that render them ineffective for large datasets. Recently, FRFS [37] proposed three new approaches based on the use of fuzzy T -transitive similarity relations - fuzzy lower approximation-based FS, fuzzy boundary region-based FS and, in particular, fuzzy discernibility matrix-based FS - to effectively address the above stated issues. No user-defined thresholds are required in any of these three new methods, although a choice must be made regarding fuzzy similarity relations and connectives.

- Correlation-based feature subset evaluator (CFS) [43]: This is a simple filtering algorithm that ranks feature subsets according to a correlation based heuristic evaluation function. Those subsets which contain features that are highly correlated with the class and uncorrelated with each other are searched for.
- Distance metric-assisted tolerance rough set feature selection (DM-TRS) [44]: This is an extension of the tolerance rough set (TRS) approach as described in [45], which is capable of dealing with real-valued data. It marries TRS with the distance metric assisted rough set approaches [46]. The information of the TRS boundary region that is otherwise ignored is examined and used to guide feature selection.

4.2.2. *Classifiers and classifier learning*

In this work, in order to demonstrate the challenge in classifiers performance evaluation and hence in their selection, four classifier which share similar underlying theoretical foundations are employed to classify the given data. Each classifier learning algorithm is briefly discussed below.

- Fuzzy k-nearest neighbours classifier (FNN) [47]: The classical (crisp) k-nearest neighbour (kNN) algorithm was introduced to classify objects based on their similarity to each of k clusters created with the training data. However, each sample object is considered equally important in the assignment of the cluster label and once an object is assigned to a cluster, there is no indication of its strength of membership in that cluster. This work has been extended by assigning partial membership of an object to different clusters [48]. FNN also takes into account the relative importance of any test object with respect to each neighbouring cluster.
- Fuzzy-rough k-nearest neighbours classifier (FRNN_FRS) [49]: This approach combines the fuzzy-rough approximations [3, 37] with the underlying ideas of FNN. Given a test object, the nearest neighbours of this object are employed to construct the lower and upper approximations of each decision class. These derived approximations provide a clue for determining the class membership of the test object. This approach has the ability to handle real-valued data and is proven to be efficient in improving classification accuracy as well as considerably removing redundant, irrelevant, and noisy features.

- Fuzzy-rough ownership k-nearest neighbours classifier (FRNN_O) [50]: This approach combines conventional kNN algorithms with both fuzzy and rough uncertainties to generate class confidence values using a fuzzy-rough ownership function. Unlike conventional kNN algorithms, this approach does not need to specify the number of neighbours with all training objects considered. Initially, a parameter that determines the bandwidth of the fuzzy-rough ownership function is calculated for each attribute and all confidence values of decision classes for the test object y are set to 0. Next, the squared weighted distance of y from all objects is computed in order to update the fuzzy-rough ownership value of y . Finally, when all training objects have been applied, the algorithm outputs the class with the highest fuzzy-rough ownership value.
- Vaguely-quantified k-nearest neighbours classifier (VQNN) [51]: This method takes a similar approach to FRNN_FRS. However, it applies the vaguely quantified rough set (VQRS) model [52] to derive the fuzzy-rough upper and lower approximations, as this model may be more robust in the presence of noisy data.

4.3. Experimental setup

In this work, the best-first search algorithm [53] is employed to perform CS and CFS-based feature selection. The FRFS feature selector uses the following similarity measure:

$$\mu_{R_a}(x, y) = 1 - \frac{|a(x) - a(y)|}{|a_{max} - a_{min}|} \quad (18)$$

where $\mu_{R_a}(x, y)$ is the degree to which object x and y are similar for feature a , along with the Łukasiewicz t-norm ($T(x, y) = \max(x + y - 1, 0)$) and the Łukasiewicz fuzzy implicator ($I(x, y) = \min(1, 1 - x + y)$). For the DM-TRS feature selector, the weighting of the distance measure is set to 0.2, while the weighting of the rough set dependency is set to 0.8. In addition, the tolerance value is set to 0.97 for all the experimental datasets. These parameters were empirically demonstrated to achieve the best level of dimensionality reduction for the given datasets [49].

For each of the classifiers, the value of k is set to 10 initially and then decremented by 1 for each experiment. Thus, a set of 10 results are obtained for each dataset. Importantly, cross validation of 10×10 -fold cross-validation is performed for each experiment. As with feature selection, in implementing each of the four classifiers, the similarity measure used is the same as $\mu_{R_a}(x, y)$ as specified above. For the FRNN_FRS approach, the Łukasiewicz t-norm and the Kleene-Dienes implicator ($I(x, y) = \max(1 - x, y)$) are chosen. The choice of this implicator is based on empirical studies [49]. In addition, the VQNN approach softens the universal and existential quantifier by means of vague quantifiers. In implementing the VQNN approach, the upper and lower fuzzy quantifiers are specified as $Q_l = Q_{(0.1, 0.6)}$ and $Q_u = Q_{(0.2, 1.0)}$ to reflect the vague quantifiers *some* and *most* from natural language respectively.

4.4. Experimental results

Four measures, namely correct classification percentage (CCP), cardinality of surviving feature subset (i.e. number of selected features or classifier inputs), average precision and average recall, are adopted to evaluate the

Table 1: Evaluation results of using CCP and reduction capability for *glass* classification

Classifier	CCP		No. of features		FCN	Rep(Modulus)		Ranking
	Absolute	Normalised	Absolute	Normalised		Absolute	Normalised	
CS + FRNN_FRS	0.6869	0.6667	7	0.4	H + iM	0.9035	0.6163	Joint 5
CS + FNN	0.6729	0.5	7	0.4	M + iM	0.7071	0.4687	9
CS + FRNN_O	0.6916	0.7222	7	0.4	H + iM	0.9035	0.6163	Joint 5
CS + VQNN	0.6355	0.0556	7	0.4	VL + iM	0.5135	0.3232	12
FRFS + FRNN_FRS	0.6682	0.4444	9	0.0	M + iWorst	0.5	0.3131	Joint 13
FRFS + FNN	0.6729	0.5	9	0.0	M + iWorst	0.5	0.3131	Joint 13
FRFS + FRNN_O	0.6963	0.7778	9	0.0	H + iWorst	0.75	0.501	8
FRFS + VQNN	0.6355	0.0556	9	0.0	VL + iWorst	0.0833	0.0	16
CFS + FRNN_FRS	0.6869	0.6667	8	0.2	H + iL	0.8029	0.5407	7
CFS + FNN	0.6729	0.5	8	0.2	M + iL	0.5701	0.3658	Joint 10
CFS + FRNN_O	0.6822	0.6111	8	0.2	M + iL	0.5701	0.3658	Joint 10
CFS + VQNN	0.6355	0.0556	8	0.2	VL + iL	0.2697	0.14	15
DMTRS + FRNN_FRS	0.7149	1.0	4	1.0	Best + iBest	1.4142	1.0	1
DMTRS + FNN	0.6308	0.0	4	1.0	Worst + iBest	1.0	0.6888	4
DMTRS + FRNN_O	0.6589	0.3333	4	1.0	L + iBest	1.0496	0.7261	3
DMTRS + VQNN	0.6682	0.4444	4	1.0	M + iBest	1.1329	0.7886	2

performance of classifiers. Combining the aforementioned 4 feature selectors and 4 classifiers results in 16 different integrated approaches to classification using reduced input pattern dimensionality. Given the five datasets, a set of experimentations were carried out by using these 16 approaches, along with the corresponding parameters specified in Section 4.3.

4.4.1. Evaluation measures: CCP and reduction capability

In this sub-section, the CCP and reduction capability are jointly considered for each combined feature pattern classifier. The evaluation results by using the 16 different approaches with respect to the given datasets are shown in Table 1 - Table 5, respectively.

Prior to the joint evaluation, the obtained absolute value of CCP and the number of selected features are normalized to $[0, 1]$. Intuitively, the normalised value of 1 is assigned to the classifier which achieves the largest

Table 2: Evaluation results of using CCP and reduction capability for *vehicle* classification

Classifier	CCP		No. of features		FCN	Rep(Modulus)		Ranking
	Absolute	Normalised	Absolute	Normalised		Absolute	Normalised	
CS + FRNN_FRS	0.6678	0.7478	18	0.0	H + iWorst	0.75	0.2909	Joint 14
CS + FNN	0.6489	0.6087	18	0.0	M + iWorst	0.5	0.0	16
CS + FRNN_O	0.6891	0.9043	18	0.0	VH + iWorst	0.9167	0.4848	7
CS + VQNN	0.7021	1.0	18	0.0	Best + iWorst	1.0	0.5817	6
FRFS + FRNN_FRS	0.6076	0.3043	9	0.8182	L + iH	0.8029	0.3524	Joint 10
FRFS + FNN	0.6158	0.3652	9	0.8182	L + iH	0.8029	0.3524	Joint 10
FRFS + FRNN_O	0.6843	0.8696	9	0.8182	H + iH	1.0607	0.6524	3
FRFS + VQNN	0.6312	0.4783	9	0.8182	M + iH	0.9035	0.4695	Joint 8
CFS + FRNN_FRS	0.591	0.1826	11	0.6364	L + iH	0.8029	0.3524	Joint 10
CFS + FNN	0.5887	0.1652	11	0.6364	L + iH	0.8029	0.3524	Joint 10
CFS + FRNN_O	0.6371	0.5217	11	0.6364	M + iH	0.9035	0.4695	Joint 8
CFS + VQNN	0.5662	0.0	11	0.6364	Worst + iH	0.75	0.2909	Joint 14
DMTRS + FRNN_FRS	0.6064	0.2957	7	1.0	L + iBest	1.0496	0.6394	Joint 4
DMTRS + FNN	0.695	0.9478	7	1.0	VH + iBest	1.3595	1.0	1
DMTRS + FRNN_O	0.6726	0.7826	7	1.0	H + iBest	1.2607	0.885	2
DMTRS + VQNN	0.6135	0.3478	7	1.0	L + iBest	1.0496	0.6394	Joint 4

Table 3: Evaluation results of using CCP and reduction capability for *sonar* classification

Classifier	CCP		No. of features		FCN	Rep(Modulus)		Ranking
	Absolute	Normalised	Absolute	Normalised		Absolute	Normalised	
CS + FRNN_FRS	0.7885	0.5172	14	0.3571	M + iL	0.5701	0.1108	Joint 13
CS + FNN	0.8173	0.7241	14	0.3571	H + iL	0.8029	0.4786	Joint 9
CS + FRNN_O	0.851	0.9655	14	0.3571	VH + iL	0.9663	0.7368	6
CS + VQNN	0.8077	0.6552	14	0.3571	H + iL	0.8029	0.4786	Joint 9
FRFS + FRNN_FRS	0.8558	1.0	13	0.4286	Best + iM	1.1329	1.0	Joint 1
FRFS + FNN	0.7596	0.3103	13	0.4286	L + iM	0.5701	0.1108	Joint 13
FRFS + FRNN_O	0.8317	0.8276	13	0.4286	H + iM	0.9035	0.6375	8
FRFS + VQNN	0.7788	0.4483	13	0.4286	M + iM	0.7071	0.3272	12
CFS + FRNN_FRS	0.7788	0.4483	19	0.0	M + iWorst	0.5	0.0	Joint 15
CFS + FNN	0.8221	0.7586	19	0.0	H + iWorst	0.75	0.395	11
CFS + FRNN_O	0.8462	0.931	19	0.0	VH + iWorst	0.9167	0.6584	7
CFS + VQNN	0.7692	0.3793	19	0.0	M + iWorst	0.5	0.0	Joint 15
DMTRS + FRNN_FRS	0.7452	0.2069	5	1.0	L + iBest	1.0496	0.8684	3
DMTRS + FNN	0.7163	0.0	5	1.0	Worst + iBest	1.0	0.79	5
DMTRS + FRNN_O	0.7308	0.1034	5	1.0	VL + iBest	1.0103	0.8063	4
DMTRS + VQNN	0.774	0.4138	5	1.0	M + iBest	1.1329	1.0	Joint 1

Table 4: Evaluation results of using CCP and reduction capability for MIAS classification

Classifier	CCP		No. of features		FCN	Rep(Modulus)		Ranking
	Absolute	Normalised	Absolute	Normalised		Absolute	Normalised	
CS + FRNN_FRS	0.6646	0.6632	11	0.807	H + iH	1.0607	0.8144	Joint 4
CS + FNN	0.5559	0.1893	11	0.807	L + iH	0.8029	0.4399	14
CS + FRNN_O	0.6615	0.6488	11	0.807	H + iH	1.0607	0.8144	Joint 4
CS + VQNN	0.7019	0.8246	11	0.807	H + iH	1.0607	0.8144	Joint 4
FRFS + FRNN_FRS	0.6149	0.4460	7	0.961	M + iVH	1.0528	0.8029	Joint 7
FRFS + FNN	0.5124	0.0	7	0.961	Worst + iVH	0.9167	0.6052	Joint 12
FRFS + FRNN_O	0.6584	0.6353	7	0.961	H + iVH	1.1885	1.0	1
FRFS + VQNN	0.6522	0.6084	7	0.961	M + iVH	1.0529	0.803	Joint 7
CFS + FRNN_FRS	0.7236	0.9191	32	0.0	VH + iWorst	0.9167	0.6052	Joint 12
CFS + FNN	0.6025	0.3921	32	0.0	M + iWorst	0.5	0.0	16
CFS + FRNN_O	0.6988	0.8111	32	0.0	H + iWorst	0.75	0.3631	15
CFS + VQNN	0.7422	1.0	32	0.0	Best + iWorst	1.0	0.7262	11
DMTRS + FRNN_FRS	0.5528	0.1758	6	1.0	L + iBest	1.0496	0.7983	Joint 9
DMTRS + FNN	0.6273	0.5	6	1.0	M + iBest	1.1329	0.9192	Joint 2
DMTRS + FRNN_O	0.6211	0.473	6	1.0	M + iBest	1.1329	0.9192	Joint 2
DMTRS + VQNN	0.59	0.338	6	1.0	L + iBest	1.0496	0.7983	Joint 9

Table 5: Evaluation results of using CCP and reduction capability for DDSM classification

Classifier	CCP		No. of features		FCN	Rep(Modulus)		Ranking
	Absolute	Normalised	Absolute	Normalised		Absolute	Normalised	
CS + FRNN_FRS	0.4838	0.3333	21	0.45	L + iM	0.5701	0.3626	Joint 10
CS + FNN	0.5018	0.4524	21	0.45	M + iM	0.7071	0.5177	Joint 8
CS + FRNN_O	0.5259	0.6111	21	0.45	M + iM	0.7071	0.5177	Joint 8
CS + VQNN	0.5572	0.8175	21	0.45	H + iM	0.9035	0.7402	6
FRFS + FRNN_FRS	0.5150	0.5397	23	0.36	M + iL	0.5701	0.3626	Joint 10
FRFS + FNN	0.4789	0.3016	23	0.36	L + iL	0.3536	0.1173	15
FRFS + FRNN_O	0.4561	0.4789	23	0.36	M + iL	0.5701	0.3626	Joint 10
FRFS + VQNN	0.5848	1.0	23	0.36	Best + iL	1.0496	0.9057	Joint 3
CFS + FRNN_FRS	0.4838	0.3333	31	0.0	L + iWorst	0.25	0.0	16
CFS + FNN	0.5078	0.4921	31	0.0	M + iWorst	0.5	0.2832	Joint 13
CFS + FRNN_O	0.5199	0.5714	31	0.0	M + iWorst	0.5	0.2832	Joint 13
CFS + VQNN	0.5548	0.8016	31	0.0	H + iWorst	0.75	0.5663	7
DMTRS + FRNN_FRS	0.4332	0.0	9	1.0	Worst + iBest	1.0	0.8495	5
DMTRS + FNN	0.4862	0.3492	9	1.0	L + iBest	1.0496	0.9057	Joint 3
DMTRS + FRNN_O	0.5067	0.4841	9	1.0	M + iBest	1.1329	1.0	Joint 1
DMTRS + VQNN	0.5235	0.5952	9	1.0	M + iBest	1.1329	1.0	Joint 1

absolute CCP, whereas the value of 0 is given to the one with smallest CCP value. However, for the reduction capability measure, the normalised value of 1 conversely reflects the classifier having the smallest cardinality of surviving feature subset, whereas the value of 0 represents the classifier having the most selected features. The normalized values are then used to match with the predefined Q_{FN} (of Figure 3) to derive the corresponding linguistic terms which are in turn, applied to construct the corresponding FCNs. In particular, the real part of such an FCN represents the CCP of the classifier, while the imaginary part represents the reduction capability of the feature selectors. Note that the less features survived, the better reduction capability a feature selector has. These approaches are then ranked according to the representative values of the derived FCNs modulus.

The classifiers using the DM-TRS feature selector achieve a better performance on *glass*, *vehicle*, *sonar* and DDSM datasets. This is likely because DM-TRS significantly reduces the number of original features which are noisy. The classifier learning methods can therefore benefit from a high quality feature subset to produce a more accurate classification. In particular, for the *glass* dataset, the combination of DM-TRS and FRNN_FRS achieves the *Best* performance when considering just two criteria: CCP and reduction capability. For the *vehicle* dataset, although the combination of CS and VQNN results in the *Best* CCP, its reduction capability is relatively the *Worst*. Thus, it only ranks in the 6th place. For the MIAS dataset, the combination of FRFS and FNN_O outperforms the others, because it achieves a *High* CCP when employing a feature selector with *Very_High* reduction capability. For the DDSM dataset, due to the *Medium* correct classification rate

and *Best* reduction capability, the combination of DM-TRS and FRNN_O together with that of DM-TRS and VQNN rank jointly in the first place.

Clearly, with the use of linguistic terms, the evaluation results are transparent and can be readily understood by the user. Note that there are certain approaches that have different absolute performance values but receive the same linguistic ranking using the proposed FCN approach. This reflects the reality well. Due to the involvement of noisy data, it may be difficult and even unfair to distinguish the overall performances of those approaches which receive very similar numerical outcome values.

4.4.2. Evaluation measures: precision and recall

As previously mentioned, precision and recall are not discussed in isolation. In this sub-section, each combined approach is assessed from a different point of view, using the performance criteria of precision and recall. This forms a useful basis upon which to compare against the F-measure, which is defined by:

$$F = 2 \times \frac{\text{precision} \times \text{recall}}{\text{precision} + \text{recall}}. \quad (19)$$

Table 6 - Table 10 show the evaluation results from applying different classifiers to the *glass*, *vehicle*, *sonar*, MIAS and DDSM datasets, respectively. Note that, the absolute precisions and recalls, together with their associated FCNs are also included in this experiment. This helps non-expert users to gain a better understanding of the overall quality of a given classifier. In the event where none of the involved classifiers achieves an acceptable result in terms of absolute FCNs, users can abandon all these classifiers without taking the risk of picking up a poorly performing classifier for use. However,

if a classifier must be chosen whilst knowing that the absolute performances of all available classifiers are poor, the normalised FCNs still help to suggest a relative ranking.

Considering each given dataset, both the FCN-based measure and the F-measure obtain the same result for the first and the last three ranked classifiers. Similar ranking scores of different classifiers are obtained for the rest of the cases also. The only difference is that certain classifiers have the same ranking when using the FCN-based approach. A closer examination into the results reveals that, in addition to the inherent comprehensibility, the performance assessment outcomes by the FCN-based approach is intuitively more reliable and consistent.

For example, the “CS + VQNN” and “CFS + VQNN” classifiers on the MIAS dataset jointly rank the first when employing the FCN-based approach. However, the use of F-measure concludes that the “CFS + VQNN” classifier performs better than “CS + VQNN”. Yet, it is clear that “CS + VQNN” achieves a higher absolute precision, whereas “CFS + VQNN” obtains a higher absolute recall. When combining these two measures, the resulting F-measure values of these two classifiers are actually extremely close to each other (0.7372 and 0.7404 respectively). It appears rather artificial to say one is better than the other overall just based on such a minute numerical difference (that may well result from noise in data). It is the relative performance to other classifiers that may be of more interest to the user. In FCN-based ranking, the precision of “CS + VQNN” is ranked the *Best* amongst all classifiers, while its recall achieves a relatively *High* value. Conversely, the recall value of “CFS + VQNN” is ranked the *Best*, while its precision achieves a

Table 6: Evaluation results of using precision and recall for *glass* classification

Classifier	Average Precision		Average Recall		F-measure	FCN	FCN	Rep(Modulus)		Ranking	Ranking(F)
	Absolute	Normalised	Absolute	Normalised				Absolute	Normalised		
CS + FRNN_FRS	0.552	0.5875	0.5264	0.868	0.5389	M + iM	M + iH	0.9035	0.6427	Joint 6	6
CS + FNN	0.4616	0.0119	0.4833	0.4987	0.4722	M + iM	VL + iM	0.5135	0.3371	9	9
CS + FRNN_O	0.6168	1.0	0.5288	0.8886	0.5694	M + iM	Best + iVH	1.3594	1.0	Joint 1	2
CS + VQNN	0.4772	0.1119	0.4557	0.2622	0.4662	M + iM	VL + iL	0.2697	0.146	Joint 13	13
FRFS + FRNN_FRS	0.528	0.4348	0.5027	0.665	0.515	M + iM	M + iH	0.9034	0.6427	Joint 6	7
FRFS + FNN	0.526	0.422	0.479	0.4619	0.5014	M + iM	M + iM	0.7071	0.4889	8	8
FRFS + FRNN_O	0.5636	0.6614	0.5382	0.9692	0.5506	M + iM	H + iVH	1.1885	0.866	Joint 3	3
FRFS + VQNN	0.4899	0.1922	0.4339	0.0754	0.4602	M + iM	L + iVL	0.2697	0.146	Joint 13	14
CFS + FRNN_FRS	0.558	0.6257	0.5384	0.9709	0.548	M + iM	H + iVH	1.1885	0.866	Joint 3	4
CFS + FNN	0.4597	0.0	0.4834	0.4996	0.4713	M + iM	Worst + iM	0.5	0.3265	10	10
CFS + FRNN_O	0.6106	0.9605	0.5418	1.0	0.5741	M + iM	VH + iBest	1.3594	1.0	Joint 1	1
CFS + VQNN	0.491	0.1992	0.4446	0.1668	0.4666	M + iM	L + iL	0.3536	0.2118	Joint 11	11
DMTRS + FRNN_FRS	0.5564	0.6155	0.5308	0.9057	0.5433	M + iM	M + iVH	1.0529	0.7598	5	5
DMTRS + FNN	0.491	0.1992	0.4446	0.1668	0.4666	M + iM	L + iL	0.3536	0.2118	Joint 11	12
DMTRS + FRNN_O	0.491	0.1992	0.4327	0.0651	0.46	M + iM	L + iVL	0.2697	0.146	Joint 13	15
DMTRS + VQNN	0.4678	0.0516	0.4251	0.0	0.4454	M + iM	VL + iWorst	0.0833	0.0	16	16

Table 7: Evaluation results of using precision and recall for *vehicle* classification

Classifier	Average Precision		Average Recall		F-measure	FCN	FCN	Rep(Modulus)		Ranking	Ranking(F)
	Absolute	Normalised	Absolute	Normalised				Absolute	Normalised		
CS + FRNN_FRS	0.6705	0.8379	0.669	0.7459	0.6697	H + iH	H + iH	1.0607	0.7522	Joint 5	6
CS + FNN	0.6368	0.5893	0.653	0.628	0.6448	H + iH	M + iH	0.9035	0.6408	7	7
CS + FRNN_O	0.6835	0.9337	0.6923	0.9171	0.6878	H + iH	VH + iVH	1.2964	0.9194	Joint 2	3
CS + VQNN	0.6925	1.0	0.7035	1.0	0.698	H + iH	Best + iBest	1.41	1.0	1	1
FRFS + FRNN_FRS	0.6143	0.424	0.6088	0.302	0.6115	M + iM	M + iL	0.5701	0.4043	Joint 10	10
FRFS + FNN	0.6008	0.3241	0.6208	0.3904	0.6106	M + iM	L + iM	0.5701	0.4043	Joint 10	11
FRFS + FRNN_O	0.6828	0.9282	0.6873	0.8803	0.685	H + iH	VH + iVH	1.2964	0.9194	Joint 2	4
FRFS + VQNN	0.621	0.4733	0.633	0.4807	0.6269	M + iH	M + iM	0.7071	0.5015	Joint 8	9
CFS + FRNN_FRS	0.6068	0.3683	0.5913	0.1731	0.5989	M + iM	L + iL	0.3556	0.2522	Joint 13	14
CFS + FNN	0.5725	0.116	0.5923	0.1805	0.5822	M + iM	VL + iL	0.2697	0.1913	15	15
CFS + FRNN_O	0.6345	0.5727	0.6403	0.534	0.6374	H + iH	M + iM	0.7071	0.5015	Joint 8	8
CFS + VQNN	0.5568	0.0	0.5678	0.0	0.5622	M + iM	Worst + iWorst	0.0	0.0	16	16
DMTRS + FRNN_FRS	0.6128	0.4125	0.6068	0.2873	0.6097	M + iM	M + iL	0.5701	0.4043	Joint 10	12
DMTRS + FNN	0.6898	0.9797	0.6983	0.9613	0.694	H + iH	VH + iVH	1.2964	0.9194	Joint 2	2
DMTRS + FRNN_O	0.6693	0.8287	0.6748	0.7882	0.672	H + iH	H + iH	1.0607	0.7523	Joint 5	5
DMTRS + VQNN	0.6035	0.3444	0.6148	0.3462	0.6091	M + iM	L + iL	0.3536	0.2508	Joint 13	13

relatively *High* value. Therefore, it is difficult to tell the difference between these two with regard to the precision and recall measures. They should intuitively be assigned the same ranking. This matches well the resulting ranking score obtained from the proposed FCN approach.

Considering the classification of the DDSM dataset as another example, similar evaluation results are obtained overall, when using the FCN-based measure and the F-measure. For instance, they both suggest that the

Table 8: Evaluation results of using precision and recall for *sonar* classification

Classifier	Average Precision		Average Recall		F-measure	FCN	FCN	Rep(Modulus)		Ranking	Ranking(F)
	Absolute	Normalised	Absolute	Normalised				Absolute	Normalised		
CS + FRNN_FRS	0.791	0.5054	0.7845	0.5263	0.7877	H + iH	M + iM	0.7071	0.5015	Joint 8	8
CS + FNN	0.8255	0.7527	0.8115	0.7158	0.8184	H + iH	H + iH	1.0607	0.7523	Joint 4	6
CS + FRNN_O	0.8595	0.9964	0.8455	0.9544	0.8524	H + iH	VH + iVH	1.2964	0.9194	Joint 2	2
CS + VQNN	0.809	0.6344	0.8045	0.6667	0.8067	H + iH	H + iH	1.0607	0.7523	Joint 4	7
FRFS + FRNN_FRS	0.86	1.0	0.852	1.0	0.856	H + iH	Best + iBest	1.41	1.0	1	1
FRFS + FNN	0.7665	0.3297	0.7525	0.3018	0.7594	H + iH	L + iL	0.3536	0.2508	Joint 13	13
FRFS + FRNN_O	0.8425	0.8746	0.8255	0.814	0.8339	H + iH	H + iH	1.0607	0.7523	Joint 4	4
FRFS + VQNN	0.7895	0.4946	0.7715	0.4351	0.7804	H + iH	M + iM	0.7071	0.5015	Joint 8	9
CFS + FRNN_FRS	0.778	0.4122	0.778	0.4807	0.778	H + iH	M + iM	0.7071	0.5015	Joint 8	10
CFS + FNN	0.8245	0.7455	0.8185	0.7649	0.8215	H + iH	H + iH	1.0607	0.7523	Joint 4	5
CFS + FRNN_O	0.85	0.9283	0.8425	0.9333	0.8462	H + iH	VH + iVH	1.2964	0.9194	Joint 2	3
CFS + VQNN	0.768	0.3405	0.769	0.4175	0.7685	H + iH	L + iM	0.5701	0.4043	12	12
DMTRS + FRNN_FRS	0.749	0.204	0.739	0.207	0.744	H + iH	L + iL	0.3536	0.2508	Joint 13	14
DMTRS + FNN	0.7205	0.0	0.7095	0.0	0.715	H + iH	Worst + iWorst	0.0	0.0	16	16
DMTRS + FRNN_O	0.736	0.1111	0.724	0.1018	0.73	H + iH	VL + iVL	0.1179	0.0836	15	15
DMTRS + VQNN	0.791	0.5054	0.765	0.3895	0.7778	H + iH	M + iM	0.7071	0.5015	Joint 8	11

Table 9: Evaluation results of using precision and recall for MIAS classification

Classifier	Average Precision		Average Recall		F-measure	FCN	FCN	Rep(Modulus)		Ranking	Ranking(F)
	Absolute	Normalised	Absolute	Normalised				Absolute	Normalised		
CS + FRNN_FRS	0.654	0.4839	0.672	0.7922	0.6628	H + iH	M + iH	0.9035	0.7167	5	5
CS + FNN	0.539	0.072	0.514	0.1082	0.5262	M + iM	VL + iVL	0.1179	0.0935	15	15
CS + FRNN_O	0.682	0.5842	0.63	0.6104	0.655	H + iH	M + iM	0.7071	0.5609	Joint 7	7
CS + VQNN	0.798	1.0	0.685	0.8485	0.7372	H + iH	Best + iH	1.2607	1.0	Joint 1	2
FRFS + FRNN_FRS	0.64	0.434	0.606	0.5065	0.6225	H + iM	M + iM	0.7071	0.5609	Joint 7	11
FRFS + FNN	0.519	0.0	0.489	0.0	0.5036	M + iM	Worst + iWorst	0.0	0.0	16	16
FRFS + FRNN_O	0.618	0.3548	0.637	0.6407	0.6274	M + iH	L + iH	0.8029	0.6369	6	9
FRFS + VQNN	0.688	0.6057	0.632	0.619	0.6588	H + iH	M + iM	0.7071	0.5609	Joint 7	6
CFS + FRNN_FRS	0.728	0.7491	0.699	0.9091	0.7132	H + iH	H + iVH	1.1885	0.9427	3	3
CFS + FNN	0.627	0.3871	0.56	0.3074	0.5916	M + iM	M + iL	0.5701	0.4522	Joint 12	13
CFS + FRNN_O	0.73	0.7563	0.654	0.7143	0.6899	H + iH	H + iH	1.0607	0.8414	4	4
CFS + VQNN	0.762	0.8710	0.72	1.0	0.7404	H + iH	H + iBest	1.2607	1.0	Joint 1	1
DMTRS + FRNN_FRS	0.5573	0.1371	0.555	0.2857	0.5561	M + iM	L + iL	0.3536	0.2805	14	14
DMTRS + FNN	0.647	0.4588	0.6225	0.5779	0.6345	H + iM	M + iM	0.7071	0.5609	Joint 7	8
DMTRS + FRNN_O	0.6528	0.4794	0.6023	0.4903	0.6265	H + iM	M + iM	0.7071	0.5609	Joint 7	10
DMTRS + VQNN	0.6545	0.4857	0.57	0.3506	0.6093	H + iM	M + iL	0.5701	0.4522	Joint 12	12

Table 10: Evaluation results of using precision and recall for MIAS classification

Classifier	Average Precision		Average Recall		F-measure	FCN	FCN		Rep(Modulus)		Ranking	Ranking(F)
	Absolute	Normalised	Absolute	Normalised			Absolute	Normalised	Absolute	Normalised		
CS + FRNN_FRS	0.4608	0.3493	0.4555	0.6888	0.4581	M+ iM	L + iH	0.8029	0.5407		Joint 5	8
CS + FNN	0.431	0.1863	0.3876	0.0686	0.4082	M+ iM	L + iVL	0.2697	0.1401		14	15
CS + FRNN_O	0.5015	0.5726	0.4353	0.5034	0.466	M+ iM	M + iM	0.7071	0.4687		Joint 7	5
CS + VQNN	0.5473	0.8233	0.4675	0.7986	0.5042	M+ iM	H + iH	1.0607	0.7344		Joint 2	2
FRFS + FRNN_FRS	0.4865	0.4904	0.4778	0.8924	0.4821	M+ iM	M + iVH	1.0529	0.7286		4	4
FRFS + FNN	0.4728	0.4151	0.402	0.1991	0.4345	M+ iM	M + iL	0.5701	0.3658		Joint 10	12
FRFS + FRNN_O	0.4358	0.2123	0.4133	0.3021	0.4242	M+ iM	L + iL	0.3536	0.2031		13	13
FRFS + VQNN	0.5795	1.0	0.4895	1.0	0.5307	M+ iM	Best + iBest	1.4142	1.0		1	1
CFS + FRNN_FRS	0.4615	0.3534	0.4683	0.8055	0.4649	M+ iM	L + iH	0.8029	0.5407		Joint 5	6
CFS + FNN	0.4828	0.4699	0.3955	0.1396	0.4348	M+ iM	M + iL	0.5701	0.3658		Joint 10	11
CFS + FRNN_O	0.4785	0.4466	0.443	0.5744	0.4601	M+ iM	M + iM	0.7071	0.4687		Joint 7	7
CFS + VQNN	0.54	0.7836	0.4713	0.833	0.5033	M+ iM	H + iH	1.0607	0.7344		Joint 2	3
DMTRS + FRNN_FRS	0.387	0.0	0.3875	0.0664	0.3922	M+ iM	Worst + iVL	0.0833	0.0		16	16
DMTRS + FNN	0.443	0.2521	0.3803	0.0	0.4092	M+ iM	L + iWorst	0.25	0.1253		15	14
DMTRS + FRNN_O	0.481	0.4603	0.422	0.3822	0.4496	M+ iM	M + iM	0.7071	0.4687		Joint 7	10
DMTRS + VQNN	0.5043	0.5877	0.4183	0.3478	0.4572	M+ iM	M + iL	0.5701	0.3658		Joint 10	9

“FRFS + VQNN” classifier is the best in dealing with this dataset (with respect to combined precision and recall criteria), whereas the “DMTRS + FRNN_FRS” performs the worst. However, the use of F-measure ranks “CS + VQNN” and “CFS + VQNN” differently, preferring the former to the latter, just because they receive F-measure values of 0.5042 and 0.5033, respectively. Again, it has a natural appeal to assign the same ranking score to these two classifiers, rather than to distinguish them due to such a tiny numerical difference. Hence, the results obtained by the FCN approach seems to be more reasonable.

4.4.3. Overall evaluation

The aforementioned four performance measures, namely CCP, reduction capability, precision and recall, are jointly taken into account in this subsection. For each measure, the relative performance of each classifier is represented by linguistic terms. In order to obtain the ranking score of the overall performance, these linguistic terms are aggregated by applying Eq. (13). The overall ranking of different classifiers are shown in Table 11 - Table 15, with

Table 11: Overall evaluation for *glass* classification

Classifier	Precision	Recall	CCP	No. of features	Rep(Modulus)		Ranking
					Absolute	Normalised	
CS + FRNN_FRS	M	H	H	M	1.1792	0.6122	6
CS + FNN	VL	M	M	M	0.887	0.3743	11
CS + FRNN_O	Best	VH	H	M	1.514	0.8849	2
CS + VQNN	VL	L	VL	M	0.6585	0.1883	14
FRFS + FRNN_FRS	M	H	M	Worst	0.9761	0.4469	10
FRFS + FNN	M	H	M	Worst	0.87	0.3605	12
FRFS + FRNN_O	H	VH	H	Worst	1.2616	0.6793	5
FRFS + VQNN	L	VL	VL	Worst	0.4273	0.0	16
CFS + FRNN_FRS	H	VH	H	L	1.304	0.7139	4
CFS + FNN	Worst	M	M	L	0.7873	0.2931	13
CFS + FRNN_O	VH	Best	M	L	1.4019	0.7936	3
CFS + VQNN	L	L	VL	L	0.6058	0.1453	15
DMTRS + FRNN_FRS	M	VH	Best	Best	1.6554	1.0	1
DMTRS + FNN	L	L	Worst	Best	1.0692	0.5227	9
DMTRS + FRNN_O	L	VL	L	Best	1.0845	0.5351	8
DMTRS + VQNN	VL	Worst	M	Best	1.0954	0.544	7

respect to the given five datasets.

It is interesting to note that this experimentation proposes five different *Best* classifiers for the five datasets. This implies that different classifiers may only be suitable for a certain type of problem. For example, in the MIAS dataset, the “CS + VQNN” classifier reaches the *Best* classification precision, and *High* classification recall, CCP and reduction capability. Although the DM-TRS feature selector achieves the *Best* reduction capability, its combination with any other learning method only obtains *Medium* or *Low* classification precision, recall and CCP. Also, the “CFS” feature selector performs *Worst* in feature reduction. As a result, “CS + VQNN” is rated as the best amongst these classifier overall. For the DDSM dataset, owing to the individually *Best* performance in precision, recall and CCP measures, it

Table 12: Overall evaluation for *vehicle* classification

Classifier	Precision	Recall	CCP	No. of features	Rep(Modulus)		Ranking
					Absolute	Normalised	
CS + FRNN_FRS	H	H	H	Worst	1.1579	0.4551	7
CS + FNN	M	H	M	Worst	0.9761	0.2809	11
CS + FRNN_O	VH	VH	VH	Worst	1.446	0.7311	5
CS + VQNN	Best	Best	Best	Worst	1.6385	0.9156	2
FRFS + FRNN_FRS	M	L	L	H	0.961	0.2665	Joint 12
FRFS + FNN	L	M	L	H	0.961	0.2665	Joint 12
FRFS + FRNN_O	VH	VH	H	H	1.5095	0.792	3
FRFS + VQNN	M	M	M	H	1.0936	0.3935	Joint 9
CFS + FRNN_FRS	L	L	L	H	0.887	0.1956	14
CFS + FNN	VL	L	L	H	0.8429	0.1533	15
CFS + FRNN_O	M	M	M	H	1.0936	0.3935	Joint 9
CFS + VQNN	Worst	Worst	Worst	H	0.6829	0.0	16
DMTRS + FRNN_FRS	M	L	L	Best	1.1786	0.4749	6
DMTRS + FNN	VH	VH	VH	Best	1.7266	1.0	1
DMTRS + FRNN_O	H	H	H	Best	1.4951	0.7782	4
DMTRS + VQNN	L	L	L	Best	1.1198	0.4186	8

Table 13: Overall evaluation for *sonar* classification

Classifier	Precision	Recall	CCP	No. of features	Rep(Modulus)		Ranking
					Absolute	Normalised	
CS + FRNN_FRS	M	M	M	L	0.9291	0.1722	13
CS + FNN	H	H	H	L	1.2038	0.4622	Joint 6
CS + FRNN_O	VH	VH	VH	L	1.4836	0.7575	2
CS + VQNN	H	H	H	L	1.2038	0.4622	Joint 6
FRFS + FRNN_FRS	Best	Best	Best	M	1.7134	1.0	1
FRFS + FNN	L	L	L	M	0.7659	0.0	16
FRFS + FRNN_O	H	H	H	M	1.2587	0.5201	5
FRFS + VQNN	M	M	M	M	1.0	0.2471	11
CFS + FRNN_FRS	M	M	M	Worst	0.87	0.1099	14
CFS + FNN	H	H	H	Worst	1.1579	0.4137	8
CFS + FRNN_O	VH	VH	VH	Worst	1.446	0.7178	3
CFS + VQNN	L	M	M	Worst	0.7873	0.0226	15
DMTRS + FRNN_FRS	L	L	L	Best	1.1198	0.3735	9
DMTRS + FNN	Worst	Worst	Worst	Best	0.958	0.2027	12
DMTRS + FRNN_O	VL	VL	VL	Best	1.0096	0.2572	10
DMTRS + VQNN	M	M	M	Best	1.2881	0.5511	4

Table 14: Overall evaluation for MIAS classification

Classifier	Precision	Recall	CCP	No. of features	Rep(Modulus)		Ranking
					Absolute	Normalised	
CS + FRNN_FRS	M	H	H	H	1.3936	0.7091	5
CS + FNN	VL	VL	L	H	0.8211	0.069	15
CS + FRNN_O	M	M	H	H	1.2777	0.5796	9
CS + VQNN	Best	H	H	H	1.6541	1.0	1
FRFS + FRNN_FRS	M	M	M	VH	1.2761	0.5779	Joint 10
FRFS + FNN	Worst	Worst	Worst	VH	0.9167	0.1765	14
FRFS + FRNN_O	L	H	H	VH	1.4375	0.7581	4
FRFS + VQNN	M	M	M	VH	1.2761	0.5778	Joint 10
CFS + FRNN_FRS	H	VH	VH	Worst	1.5018	0.8299	3
CFS + FNN	M	L	M	Worst	0.7587	0.0	16
CFS + FRNN_O	H	H	H	Worst	1.299	0.6034	8
CFS + VQNN	H	Best	Best	Worst	1.6109	0.9518	2
DMTRS + FRNN_FRS	L	L	L	Best	1.1375	0.4231	13
DMTRS + FNN	M	M	M	Best	1.3507	0.6612	Joint 6
DMTRS + FRNN_O	M	M	M	Best	1.3507	0.6612	Joint 6
DMTRS + VQNN	M	L	L	Best	1.2132	0.5076	12

Table 15: Overall evaluation for DDSM classification

Classifier	Precision	Recall	CCP	No. of features	Rep(Modulus)		Ranking
					Absolute	Normalised	
CS + FRNN_FRS	L	H	L	M	0.9878	0.2808	10
CS + FNN	L	VL	M	M	0.7675	0.076	13
CS + FRNN_O	M	M	M	M	1.0	0.2921	9
CS + VQNN	H	H	H	M	1.3936	0.658	2
FRFS + FRNN_FRS	M	VH	M	L	1.2068	0.4843	6
FRFS + FNN	M	L	L	L	0.6857	0.0	Joint 15
FRFS + FRNN_O	L	L	M	L	0.6857	0.0	Joint 15
FRFS + VQNN	Best	Best	Best	L	1.7616	1.0	1
CFS + FRNN_FRS	L	H	L	Worst	0.8513	0.1539	12
CFS + FNN	M	L	M	Worst	0.7587	0.0679	14
CFS + FRNN_O	M	M	M	Worst	0.866	0.1676	11
CFS + VQNN	H	H	H	Worst	1.299	0.57	4
DMTRS + FRNN_FRS	Worst	VL	Worst	Best	1.0103	0.3017	8
DMTRS + FNN	L	Worst	L	Best	1.0951	0.3805	7
DMTRS + FRNN_O	M	M	M	Best	1.3507	0.6181	3
DMTRS + VQNN	M	L	M	Best	1.2839	0.556	5

is not surprising that “FRFS + VQNN” reaches the first place in terms of overall performance.

Another point to note is that the DM-TRS feature selector produces the greatest data reduction on all of the experimental datasets. However, the impact of feature selection may have different effects upon different classifiers. Combining DM-TRS with each of the five classifiers does not necessarily lead to the best overall performance all the time. It only works extremely well in conjunction with FRNN_FRS and FNN classifiers on the *glass* and *vehicle* dataset, respectively. Thus, one of the most important conclusions that can be drawn from these results is that it is difficult to choose a clear “winner”. There is no such a thing as the best combination of feature selector and classifier with regard to different performance criteria and different datasets. This gives rise to the need for more careful selection of what feature selectors to combine with what classifiers in general when facing a new problem. The work developed herein offers such a helpful means to linguistically evaluate such combinations.

5. Conclusion

This paper has proposed a novel notion of fuzzy complex numbers (FCNs) and introduced the calculus for the proposed FCNs. This is achieved by substantially extending the seminal ideas proposed in [21]. In particular, the algebraic properties of the FCNs, including closure, associativity, commutativity and distributivity are discussed and added on to this work. Further, the closure, associativity and commutativity properties are utilised to form the basis upon which to establish a new hierarchical approach of aggregating

different components of an FCN. An arbitrary number of FCN components can now be aggregated in a random order.

This notion of FCNs is capable of representing and aggregating a variety of inexact knowledge and data in a unified manner. This ability is demonstrated by exploiting the framework to support the performance evaluation of classifiers. The effectiveness of the approach is compared to the traditional F-measure-based approach. Experimental results demonstrates that the FCN-based performance evaluation is intuitively reliable and consistent. Importantly, unlike semantics-destroying approaches (e.g. the F-measure) for classifier performance assessment, the proposed work maintains the underlying semantics of different evaluation measures. This ensures that the resulting ranking and hence selection process of choosing (what combination of feature selector and) pattern classifier is interpretable and explainable to the user. This is essential in assisting the user to make informed decisions when given a challenging classification task.

Although the proposed approach is promising, much may be done through further research. One such work is to extend the FCN aggregation process by considering the relative significance of the real and imaginary parts of the FCNs when deriving the modulus (e.g. by introducing weights to these parts). This may lead to the development of a new OWA operator [54, 55]. Also, a more general mechanism can be built to automatically generate the corresponding fuzzy quantity spaces (including the fuzzy partitions) from the training data. This would help to avoid the need for prefixing just one common quantity space which the real and imaginary parts of FCNs may take values from. Finally, as the proposed notion of FCNs is mathematically

generic, it would be very interesting to investigate how it might be applied to other application domains, such as fuzzy compositional modelling [56, 57] and student academic performance evaluation [22].

Acknowledgment

The authors are grateful to Professor Reyer Zwiggelaar and Dr Neil Mac Parthaláin for providing the MIAS and DDSM datasets. The authors are also grateful to the referees for their invaluable and insightful comments that have helped to improve this work.

Appendix

Algebraic properties of FCNs

Given the aforementioned arithmetic operators of FCNs, the algebraic properties of the proposed FCNs can be established. This appendix addresses these properties.

Definition 6. *An n – ary function/operation f from \mathbb{R}^n to \mathbb{R} is said increasing if and only if*

$$\begin{aligned} (x_1 > y_1) \wedge (x_2 > y_2) \wedge \cdots \wedge (x_n > y_n) \rightarrow \\ f(x_1, x_2, \dots, x_n) > f(y_1, y_2, \dots, y_n). \end{aligned} \tag{.1}$$

An n – ary function/operation f from \mathbb{R}^n to \mathbb{R} is said decreasing if and only if

$$\begin{aligned} (x_1 > y_1) \wedge (x_2 > y_2) \wedge \cdots \wedge (x_n > y_n) \rightarrow \\ f(x_1, x_2, \dots, x_n) < f(y_1, y_2, \dots, y_n). \end{aligned} \tag{.2}$$

Theorem 1. ([58]) Let $\tilde{a}_1, \tilde{a}_2, \dots, \tilde{a}_n$ be continuous fuzzy numbers with membership functions mapping from \mathbb{R} to $[0, 1]$. Let f be a continuous and monotonic function (increasing or decreasing), then $f(\tilde{a}_1, \tilde{a}_2, \dots, \tilde{a}_n)$ is a continuous fuzzy number.

Theorem 2. If $\tilde{z}_1 = \tilde{a} + i\tilde{b}$ and $\tilde{z}_2 = \tilde{c} + i\tilde{d}$ are FCNs, then so are $\tilde{z}_1 + \tilde{z}_2$, $\tilde{z}_1 - \tilde{z}_2$, $\tilde{z}_1\tilde{z}_2$.

Proof: (a) According to Eq. (3), $Re(\tilde{z}_1 + \tilde{z}_2) = f(\tilde{a}, \tilde{c}) = \tilde{a} + \tilde{c}$ and $Im(\tilde{z}_1 + \tilde{z}_2) = f(\tilde{b}, \tilde{d}) = \tilde{b} + \tilde{d}$. Because the addition function is always increasing, Theorem 1 can always be applied to it. Hence, the addition of fuzzy numbers gives a fuzzy number and both the real and imagery parts of $\tilde{z}_1 + \tilde{z}_2$ are fuzzy numbers. Therefore, $\tilde{z}_1 + \tilde{z}_2$ is an FCN.

(b) It has been proven in [58] that the subtraction between fuzzy numbers also gives a fuzzy number. According to Eq. (6), $\tilde{z}_1 - \tilde{z}_2$ is an FCN.

(c) It has been proven in [58] that the multiplication of fuzzy numbers gives a fuzzy number. In addition, a fuzzy number adding or subtracting another always yields a new fuzzy number. In Eq. (7), $Re(\tilde{z}_1\tilde{z}_2)$ and $Im(\tilde{z}_1\tilde{z}_2)$ are both fuzzy numbers. Hence, $\tilde{z}_1\tilde{z}_2$ is an FCN. ■

Theorem 3. If $\tilde{z} = \tilde{a} + i\tilde{b}$ is an FCN, then $|\tilde{z}|$ is a fuzzy number.

Proof: In Eq. (12), let $f(\tilde{a}, \tilde{b}) = \sqrt{\tilde{a}^2 + \tilde{b}^2}$: when $\tilde{a} > 0$ and $\tilde{b} > 0$, f is increasing and continuous, when $\tilde{a} < 0$ and $\tilde{b} < 0$, f is decreasing and continuous, then Theorem 1 can be directly applied to both cases. When $\tilde{a} > 0$ and $\tilde{b} < 0$, f can be rewritten as $f(\tilde{a}, \tilde{b}) = \sqrt{\tilde{a}^2 + (-\tilde{b})(-\tilde{b})}$, Theorem 1 also applies in this case. Similarly, when $\tilde{a} < 0$ and $\tilde{b} > 0$, the same conclusion can be derived. Therefore, $|\tilde{z}|$ is a newly derived fuzzy number. ■

To investigate the basic arithmetic properties of the proposed FCNs, let $\tilde{z}_1 = \tilde{a} + i\tilde{b}$, $\tilde{z}_2 = \tilde{c} + i\tilde{d}$ and $\tilde{z}_3 = \tilde{e} + i\tilde{f}$ be three FCNs, where \tilde{a} , \tilde{b} , \tilde{c} , \tilde{d} , \tilde{e} and \tilde{f} are fuzzy numbers with membership functions $\mu_{\tilde{a}}(x)$, $\mu_{\tilde{b}}(x)$, $\mu_{\tilde{c}}(x)$, $\mu_{\tilde{d}}(x)$, $\mu_{\tilde{e}}(x)$ and $\mu_{\tilde{f}}(x)$, respectively. From this, the following properties hold:

- Associativity

Theorem 4. *Associativity, $\tilde{z}_1 * (\tilde{z}_2 * \tilde{z}_3) = (\tilde{z}_1 * \tilde{z}_2) * \tilde{z}_3$, holds if $*$ = +.*

Proof: For $*$ = +, since

$$\begin{aligned}\tilde{z}_1 + (\tilde{z}_2 + \tilde{z}_3) &= (\tilde{a} + i\tilde{b}) + ((\tilde{c} + \tilde{e}) + i(\tilde{d} + \tilde{f})) = (\tilde{a} + \tilde{c} + \tilde{e}) + i(\tilde{b} + \tilde{d} + \tilde{f}), \\ (\tilde{z}_1 + \tilde{z}_2) + \tilde{z}_3 &= ((\tilde{a} + \tilde{c}) + i(\tilde{b} + \tilde{d})) + (\tilde{e} + i\tilde{f}) = (\tilde{a} + \tilde{c} + \tilde{e}) + i(\tilde{b} + \tilde{d} + \tilde{f}).\end{aligned}$$

Hence, $Re(\tilde{z}_1 + (\tilde{z}_2 + \tilde{z}_3)) = Re((\tilde{z}_1 + \tilde{z}_2) + \tilde{z}_3)$ and $Im(\tilde{z}_1 + (\tilde{z}_2 + \tilde{z}_3)) = Im((\tilde{z}_1 + \tilde{z}_2) + \tilde{z}_3)$. Thus, if $*$ = +, FCNs is associative. ■

However, for $*$ = \times ,

$$\begin{aligned}\tilde{z}_1 \times (\tilde{z}_2 \times \tilde{z}_3) &= (\tilde{a} + i\tilde{b}) \times ((\tilde{c}\tilde{e} - \tilde{d}\tilde{f}) + i(\tilde{d}\tilde{e} + \tilde{c}\tilde{f})) \\ &= (\tilde{a}(\tilde{c}\tilde{e} - \tilde{d}\tilde{f}) - \tilde{b}(\tilde{d}\tilde{e} + \tilde{c}\tilde{f})) + i(\tilde{b}(\tilde{c}\tilde{e} - \tilde{d}\tilde{f}) + \tilde{a}(\tilde{d}\tilde{e} + \tilde{c}\tilde{f})), \\ (\tilde{z}_1 \times \tilde{z}_2) \times \tilde{z}_3 &= ((\tilde{a}\tilde{c} - \tilde{b}\tilde{d}) + i(\tilde{b}\tilde{c} + \tilde{a}\tilde{d})) \times (\tilde{e} + i\tilde{f}) \\ &= ((\tilde{a}\tilde{c} - \tilde{b}\tilde{d})\tilde{e} - (\tilde{b}\tilde{c} + \tilde{a}\tilde{d})\tilde{f}) + i((\tilde{b}\tilde{c} + \tilde{a}\tilde{d})\tilde{e} + (\tilde{a}\tilde{c} - \tilde{b}\tilde{d})\tilde{f}).\end{aligned}$$

Unfortunately, the distributivity of \times over + for fuzzy numbers does not always hold (see later): Take $\tilde{b}(\tilde{d}\tilde{e} + \tilde{c}\tilde{f})$ for example, the distributivity is only valid if \tilde{b} is either a positive or negative fuzzy number, and if $\tilde{d}\tilde{e}$ and $\tilde{c}\tilde{f}$ are both either a positive or negative fuzzy number [58].

- Commutativity

Theorem 5. *Commutativity, $\tilde{z}_1 * \tilde{z}_2 = \tilde{z}_2 * \tilde{z}_1$, holds for $*$ $\in \{+, \times\}$.*

Proof: For $*$ $= +$, given

$$\begin{aligned}\tilde{z}_1 + \tilde{z}_2 &= (\tilde{a} + \tilde{c}) + i(\tilde{b} + \tilde{d}), \\ \tilde{z}_2 + \tilde{z}_1 &= (\tilde{c} + \tilde{a}) + i(\tilde{d} + \tilde{b}).\end{aligned}$$

Since addition on fuzzy numbers is commutative, i.e. $\tilde{a} + \tilde{c} = \tilde{c} + \tilde{a}$ and $\tilde{b} + \tilde{d} = \tilde{d} + \tilde{b}$, $Re(\tilde{z}_1 + \tilde{z}_2) = Re(\tilde{z}_2 + \tilde{z}_1)$ and $Im(\tilde{z}_1 + \tilde{z}_2) = Im(\tilde{z}_2 + \tilde{z}_1)$.

Thus, for $*$ $= +$, FCNs is commutative.

For $*$ $= \times$, given

$$\begin{aligned}\tilde{z}_1 \times \tilde{z}_2 &= (\tilde{a}\tilde{c} - \tilde{b}\tilde{d}) + i(\tilde{b}\tilde{c} + \tilde{a}\tilde{d}), \\ \tilde{z}_2 \times \tilde{z}_1 &= (\tilde{c}\tilde{a} - \tilde{d}\tilde{b}) + i(\tilde{c}\tilde{b} + \tilde{d}\tilde{a}).\end{aligned}$$

Since multiplication on fuzzy numbers is commutative, i.e. $\tilde{a}\tilde{c} = \tilde{c}\tilde{a}$, $\tilde{b}\tilde{d} = \tilde{d}\tilde{b}$, $\tilde{b}\tilde{c} = \tilde{c}\tilde{b}$ and $\tilde{a}\tilde{d} = \tilde{d}\tilde{a}$. Thus, $Re(\tilde{z}_1 \times \tilde{z}_2) = Re(\tilde{z}_2 \times \tilde{z}_1)$ and $Im(\tilde{z}_1 \times \tilde{z}_2) = Im(\tilde{z}_2 \times \tilde{z}_1)$. Therefore, $*$ $= \times$ is commutative. ■

- Distributivity

Theorem 6. *Given $\tilde{a} > 0$ or $\tilde{a} < 0$ and $\tilde{b} > 0$ or $\tilde{b} < 0$, when \tilde{c} and \tilde{e} have the same sign (they are both either a positive or negative fuzzy number), also \tilde{d} and \tilde{f} have the same sign, then $\tilde{z}_1 \times (\tilde{z}_2 + \tilde{z}_3) = \tilde{z}_1 \times \tilde{z}_2 + \tilde{z}_1 \times \tilde{z}_3$.*

Proof:

$$\begin{aligned}
\tilde{z}_1 \times (\tilde{z}_2 + \tilde{z}_3) &= (\tilde{a} + i\tilde{b}) \times ((\tilde{c} + \tilde{e}) + i(\tilde{d} + \tilde{f})) \\
&= (\tilde{a}(\tilde{c} + \tilde{e}) - \tilde{b}(\tilde{d} + \tilde{f})) + i(\tilde{b}(\tilde{c} + \tilde{e}) + \tilde{a}(\tilde{d} + \tilde{f})), \\
\tilde{z}_1 \times \tilde{z}_2 + \tilde{z}_1 \times \tilde{z}_3 &= ((\tilde{a}\tilde{c} - \tilde{b}\tilde{d}) + i(\tilde{b}\tilde{c} + \tilde{a}\tilde{d})) + ((\tilde{a}\tilde{e} - \tilde{b}\tilde{f}) + i(\tilde{b}\tilde{e} + \tilde{a}\tilde{f})) \\
&= (\tilde{a}\tilde{c} - \tilde{b}\tilde{d} + \tilde{a}\tilde{e} - \tilde{b}\tilde{f}) + i(\tilde{b}\tilde{c} + \tilde{b}\tilde{e} + \tilde{a}\tilde{d} + \tilde{a}\tilde{f}).
\end{aligned}$$

Given $\tilde{a} > 0$ or $\tilde{a} < 0$ and $\tilde{b} > 0$ or $\tilde{b} < 0$, when \tilde{c} and \tilde{e} have the same sign, also \tilde{d} and \tilde{f} have the same sign, the distributivity of \times over $+$ for fuzzy numbers can be applied:

$$\tilde{z}_1 \times (\tilde{z}_2 + \tilde{z}_3) = (\tilde{a}\tilde{c} + \tilde{a}\tilde{e} - (\tilde{b}\tilde{d} + \tilde{b}\tilde{f})) + i(\tilde{b}\tilde{c} + \tilde{b}\tilde{e} + \tilde{a}\tilde{d} + \tilde{a}\tilde{f}).$$

Note that owing to $-\tilde{b}(\tilde{d} + \tilde{f}) = -\tilde{b}\tilde{d} - \tilde{b}\tilde{f}$, it can be derived that $Re(\tilde{z}_1 \times (\tilde{z}_2 + \tilde{z}_3)) = Re(\tilde{z}_1 \times \tilde{z}_2 + \tilde{z}_1 \times \tilde{z}_3)$ and $Im(\tilde{z}_1 \times (\tilde{z}_2 + \tilde{z}_3)) = Im(\tilde{z}_1 \times \tilde{z}_2 + \tilde{z}_1 \times \tilde{z}_3)$. Hence, $\tilde{z}_1 \times (\tilde{z}_2 + \tilde{z}_3) = \tilde{z}_1 \times \tilde{z}_2 + \tilde{z}_1 \times \tilde{z}_3$. ■

References

- [1] M. Dash, H. Liu, Feature selection for classification, Intelligent Data Analysis 1 (1-4) (1997) 131–156.
- [2] J. Hua, W. D. Tembe, E. R. Dougherty, Performance of feature-selection methods in the classification of high-dimension data, Pattern Recognition 42 (3) (2009) 409 – 424.
- [3] R. Jensen, Q. Shen, Computational intelligence and feature selection: rough and fuzzy approaches, illustrated Edition, Wiley, 2008.

- [4] J. Blue, G. Candela, P. Grother, R. Chellappa, C. Wilson, Evaluation of pattern classifiers for fingerprint and OCR applications, *Pattern Recognition* 27 (4) (1994) 485 – 501.
- [5] L. I. Kuncheva, *Fuzzy classifier design, illustrated Edition*, Springer, 2000.
- [6] L. Sandri, W. Marzocchi, Testing the performance of some nonparametric pattern recognition algorithms in realistic cases, *Pattern Recognition* 37 (3) (2004) 447 – 461.
- [7] E. Nyssen, Evaluation of pattern classifiers - applying a monte carlo significance test to the classification efficiency, *Pattern Recognition Letters* 19 (1) (1998) 1 – 6.
- [8] Y. Wang, I. T. Phillips, R. M. Haralick, Document zone content classification and its performance evaluation, *Pattern Recognition* 39 (1) (2006) 57 – 73.
- [9] D. D. Lewis, W. A. Gale, A sequential algorithm for training text classifiers, in: *SIGIR '94: Proceedings of the 17th annual international ACM SIGIR conference on research and development in information retrieval*, Springer-Verlag New York, Inc., New York, NY, USA, 1994, pp. 3–12.
- [10] J. J. Buckley, Fuzzy complex numbers, *Fuzzy Sets Syst.* 33 (3) (1989) 333–345.
- [11] L. A. Zadeh, Fuzzy sets, *Information and control* 8 (1965) 338–353.

- [12] J. J. Buckley, Fuzzy complex analysis II: integration, *Fuzzy Sets Syst.* 49 (2) (1992) 171–179.
- [13] J. J. Buckley, Y. Qu, Fuzzy complex analysis I: differentiation, *Fuzzy Sets Syst.* 41 (3) (1991) 269–284.
- [14] J. Qiu, C. Wu, F. Li, On the restudy of fuzzy complex analysis: Part I. the sequence and series of fuzzy complex numbers and their convergences, *Fuzzy Sets Syst.* 115 (3) (2000) 445–450.
- [15] J. Qiu, C. Wu, F. Li, On the restudy of fuzzy complex analysis: Part II. the continuity and differentiation of fuzzy complex functions, *Fuzzy Sets Syst.* 120 (3) (2001) 517–521.
- [16] G. Wang, X. Li, Generalized lebesgue integrals of fuzzy complex valued functions, *Fuzzy Sets Syst.* 127 (3) (2002) 363–370.
- [17] C. Wu, J. Qiu, Some remarks for fuzzy complex analysis, *Fuzzy Sets Syst.* 106 (2) (1999) 231–238.
- [18] M. Ha, W. Pedrycz, L. Zheng, The theoretical fundamentals of learning theory based on fuzzy complex random samples, *Fuzzy Sets Syst.* 160 (17) (2009) 2429–2441.
- [19] D. Ramot, R. Milo, M. Friedman, A. Kandel, Complex fuzzy sets, *IEEE Transactions on Fuzzy Systems* 10 (2) (2002) 171–186.
- [20] S. Dick, Toward complex fuzzy logic, *IEEE Transactions on Fuzzy Systems* 13 (3) (2005) 405–414.

- [21] X. Fu, Q. Shen, A novel framework of fuzzy complex numbers and its application to compositional modelling, in: Proceedings of the 18th International Conference on Fuzzy Systems, 2009, pp. 536–541.
- [22] K. A. Rasmani, Q. Shen, Data-driven fuzzy rule generation and its application for student academic performance evaluation, *Applied Intelligence* 25 (3) (2006) 305–319.
- [23] D. Dubois, H. Prade, *Fuzzy sets and systems: theory and applications*, 4th Edition, 1980.
- [24] L. A. Zadeh, Fuzzy logic and approximate reasoning (in memory of grigore moisil), *Synthese* 30 (3/4) (1975) 407–428.
- [25] C. C. Lee, Fuzzy-logic in control-systems: Fuzzy logic controller, part I, *IEEE Transactions on Systems, Man and Cybernetics* 20 (2) (1990) 404–418.
- [26] Q. Shen, R. Leitch, Fuzzy qualitative simulation, *IEEE Transactions on Systems, Man and Cybernetics* 23 (4) (1993) 1038–1061.
- [27] D. Huttenlocher, G. Klanderman, W. Rucklidge, Comparing images using the hausdorff distance, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 15 (9) (1993) 850–863.
- [28] Z. Huang, Q. Shen, Fuzzy interpolative reasoning via scale and move transformations, *IEEE Transactions on Fuzzy Systems* 14 (2) (2006) 340–359.

- [29] Z. Huang, Q. Shen, Fuzzy interpolative and extrapolative reasoning: a practical approach, *IEEE Transactions on Fuzzy Systems* 16 (1) (2008) 13–28.
- [30] UCI machine learning repository, <http://archive.ics.uci.edu/ml/datasets.html>.
- [31] J. Suckling, J. Parker, D. Dance, S. Astley, I. Hutt, C. Boggis, I. Ricketts, E. Stamatakis, N. Cerneaz, S. Kok, P. Taylor, D. Betal, J. Savage, The mammographic image analysis society digital mammogram database, in: *Proceedings of the 2nd International Workshop on Digital Mammography*, 1994, pp. 211–221.
- [32] M. Heath, K. Bowyer, D. Kopans, R. Moore, P. Kegelmeyer, The digital database for screening mammography, in: *Proceedings of the 5th International Workshop on Digital Mammography*, 2000, pp. 212–218.
- [33] A. Oliver, J. Freixenet, R. Marti, J. Pont, E. Pérez, E. R. E. Denton, R. Zwigelaar, A novel breast tissue density classification methodology, *IEEE Transactions on Information Technology in Biomedicine* 12 (1) (2008) 55–65.
- [34] A. C. of Radiology, Illustrated breast imaging reporting and data system: (illustrated BI-RADS), 3rd Edition, American College of Radiology, 1998.
- [35] R. Jensen, Q. Shen, Are more features better? a response to attributes reduction using fuzzy rough sets, *IEEE Transactions on Fuzzy Systems* 17 (6) (2009) 1456–1458.

- [36] H. Liu, R. Setiono, A probabilistic approach to feature selection - a filter solution, in: Proceedings of the 13th International Conference on Machine Learning, Morgan Kaufmann, 1996, pp. 319–327.
- [37] R. Jesnson, Q. Shen, New approaches to fuzzy-rough feature selection, IEEE Transactions on Fuzzy Systems 17 (4) (2009) 824–838.
- [38] S. Nanda, S. Majumdar, Fuzzy rough sets, Fuzzy Sets Syst. 45 (2) (1992) 157 – 160.
- [39] Z. Pawlak, Rough sets, International Journal of Information and Computer Sciences 11 (5) (1982) 341–356.
- [40] Z. Pawlak, Rough sets and intelligent data analysis, Information Sciences 147 (1-4) (2002) 1–12.
- [41] Y. Yang, C. J. Hinde, A new extension of fuzzy sets using rough sets: R-fuzzy sets, Information Science 180 (3) (2010) 354–365. doi:<http://dx.doi.org/10.1016/j.ins.2009.10.004>.
- [42] D. Dubois, H. Prade, Putting rough sets and fuzzy sets together, in: R. Slowinski (Ed.), Intelligent Decision Support- Handbook of Applications and Advances of the Rough Set Theory, Kluwer Academic, Dordrecht, 1992, pp. 203–232.
- [43] M. A. Hall, Correlation-based feature selection for machine learning, Tech. rep. (1999).
- [44] N. Mac Parthaláin, Q. Shen, Exploring the boundary region of tolerance

- rough sets for feature selection, *Pattern Recognition* 42 (5) (2009) 655–667.
- [45] A. Skowron, J. Stepaniuk, Tolerance approximation spaces, *Fundamenta Informaticae* 27 (1996) 245–253.
 - [46] N. Parthalaín, Q. Shen, R. Jensen, A distance measure approach to exploring the rough set boundary region for attribute reduction, *IEEE Transactions on Knowledge and Data Engineering* 22 (3) (2010) 305–317.
 - [47] D. W. Aha, D. Kibler, M. K. Albert, Instance-based learning algorithms, *Machine Learning* (1991) 37–66.
 - [48] J. M. Keller, M. R. Gray, J. A. J. Givens, Fuzzy k-nearest neighbor algorithm, *IEEE Transactions on Systems, Man and Cybernetics* 15 (4) (1985) 87–94.
 - [49] N. Mac Parthalaín, R. Jensen, Q. Shen, R. Zwigelaar, Fuzzy-rough approaches for mammographic risk analysis, *Intelligent Data Analysis* 14 (2) (2010) 225–244.
 - [50] M. Sarkar, Fuzzy-rough nearest neighbor algorithms in classification, *Fuzzy Sets Syst.* 158 (19) (2007) 2134–2152.
 - [51] R. Jensen, C. Cornelis, A new approach to fuzzy-rough nearest neighbour classification, in: *Proceedings of the 6th International Conference on Rough Sets and Current Trends in Computing*, 2008, pp. 310–319.

- [52] C. Cornelis, M. D. Cock, A. M. Radzikowska, Vaguely quantified rough sets, *Lecture Notes in Computer Science* 4482 (2007) 87–94.
- [53] J. Pearl, *Heuristics: intelligent search strategies for computer problem solving*, Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA, 1984.
- [54] T. Boongoen, Q. Shen, Nearest-neighbor guided evaluation of data reliability and its applications, *IEEE Transactions on Systems, Man and Cybernetics*, Part B.
- [55] R. R. Yager, D. P. Filev, Induced ordered weighted averaging operators, *IEEE Transaction on Systems, Man and Cybernetics* 29 (1999) 141–150.
- [56] X. Fu, T. Boongoen, Q. Shen, Evidence directed generation of plausible crime scenarios with identity resolution, *Applied Artificial Intelligence* 24 (4) (2010) 253–276.
- [57] X. Fu, Q. Shen, Fuzzy compositional modelling, *IEEE Transactions on Fuzzy Systems* 18 (4) (2010) 823–840.
- [58] D. Dubois, H. Prade, Fuzzy real algebra: Some results, *Fuzzy Sets Syst.* 2 (1979) 327–348.