

Aberystwyth University

Better soil management: avoiding soil compaction

Stiles, William

Published in:
Farming Connect

Publication date:
2018

Citation for published version (APA):

Stiles, W. (2018). Better soil management: avoiding soil compaction. *Farming Connect*.
<https://businesswales.gov.wales/farmingconnect/posts/better-soil-management-avoiding-soil-compaction>

General rights

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400
email: is@aber.ac.uk

Better soil management: avoiding soil compaction

Dr William Stiles: IBERS, Aberystwyth University.


Take home messages:

- Soil compaction is major issue for modern agriculture.
- This can influence soil physical and chemical characteristics and can affect soil-based processes.
- Compacted soil is economically damaging to farm business efficiency, as it results in reduced crop yield and increased fertiliser and energy input requirements.

Estimates of global soil degradation indicate that somewhere in the region [of 1 – 6 billion](#) hectares of land are in a degraded state (between 10 – 60% of agricultural land and forest). Degradation may mean different things depending on location and landscape and is variably accepted to indicate land suffering from the harmful effects of desertification, salinisation, erosion, compaction, or encroachment of invasive species. Of these issues, soil compaction is considered by some to be the biggest threat to future agricultural production.

Soil compaction is a major global issue associated with modern, mechanical agriculture. The use of heavy machinery and other modern agricultural approaches can have significant impact on soil and soil based processes. Soil compaction is defined as a process where soil grains are rearranged to reduce void space, thereby increasing bulk density. [Compaction can affect](#) both the upper layer of soil (topsoil) and soil to depth (subsoil). Subsoil compaction is a challenging problem as remediation of this is costly and difficult to achieve. It has been demonstrated to drive significant reductions in crop yield and as such, has been recognised as a serious form of soil degradation by the EU.

Soil compaction can reduce farm production efficiency by [increasing the costs of production](#) whilst simultaneously reducing crop yield. Soil compaction



reduces the potential for crop growth and yield by restricting the growth of roots, limiting aeration and water storage, and reducing the availability of nutrients in the soil. This can lead to a greater requirement for fertiliser input as a countermeasure and higher fuel usage due to the extra energy required for activities such as ploughing. As a result, soil compaction may be damaging economically and can have significant consequences for farm business efficiency.

Causes of soil compaction

Soil becomes compacted when exposed to heavy machinery traffic, or through excessive animal trampling. Livestock effects on soil compaction can be more widespread in a field system than that caused by heavy machinery, which is typically localised. Compaction effects due to livestock are dependent on trampling intensity, but where this is high can [affect](#) soil bulk density, hydraulic conductivity, macropore volume, and penetration resistance.

Three components govern the degree to which a soil is affected: soil texture and structure, soil organic matter, and soil water content. The degree of organic matter in soil will influence the degree to which a soil is impacted by increasing the resistance of a soil to deformation and/or increasing elasticity potential. Compaction effects from heavy machinery and livestock trampling are exacerbated in wet conditions. Typically, soils with high moisture content are more vulnerable to the impact of compaction as the strength of a soil is heavily dependent on water content. Timing machinery usage or grazing is therefore a key strategy for reducing the potential impact.

Effects of compaction on soil biological and chemical properties

By modifying certain soil processes, such as pore size, aeration and water movement, compaction can influence the chemical and biological state of soil. This has been observed as reductions in carbon mineralisation, nitrification rate, and increases in denitrification (which results in higher N₂O emissions to the atmosphere). This [can mean](#) a reduction in both the availability of nitrogen for crops and crop nitrogen use efficiency, resulting in increased requirement for fertiliser input.

Soil compaction can also result in higher rates of methane emission from soil by modifying bacterial communities. This is caused by a shift towards more anaerobic conditions in soil that alters the relative abundance of methanogenic bacteria (those that produce methane) compared to methanotrophic bacteria (those that metabolise methane).



As a result, soil compaction can contribute to an [increased environmental impact](#). This can happen both locally and in the wider environmental context. Locally, compacted soil can increase the potential for runoff, which in fields where fertilisers have been added may exacerbate the effects of diffuse pollution. Soils which are increasingly anaerobic as a result of compaction

may also limit the potential for breakdown of pesticides, resulting in greater leaching and contamination. In the wider environment, soil compaction can result in increased greenhouse gas emissions, through the mechanism described above and also through the increased machinery requirement when ploughing compacted soil, which requires greater fuel input leading to higher CO₂ emissions.

Approaches for avoidance or mitigation

If left, soil will recover from compaction through natural processes, such as soil organism activity (e.g. earthworm burrowing) or seasonal wet–dry or freeze-thaw cycles. These can break apart soil, however this approach to recovery is slow and can take up to [18 years](#), depending on severity of compaction and the soil type. Avoidance is therefore a better strategy than remediation. Several strategies have been devised for tailoring machinery usage to minimise the impact of soil compaction, ranging from altering the [shape or pressure of tyres](#), to limiting the amount of land affected.

Wheeled vehicles generally disturb soil and create deeper ruts than tracked vehicles due to their lower contact area. [Tracked vehicles may reduce](#) rut depth by up to 40% compared to extra wide or soft tyre options, in spite of increasing the mass of the vehicle or trailer by 10–12%. The impact of wheeled vehicles can be reduced through the use of low ground pressure tyres, where tyre size is increased and pressures reduced to the range of 30 – 120 kPa.

Modifying machinery may reduce some of the impact, but overall, the intensity of machine traffic (number of passes) is the principal factor governing compaction rate. Strategies have been devised to limit the amount of land affected by machinery usage in a system referred to as Controlled Traffic Farming. This system utilises permanent traffic lanes, which are designed



FARMING
connect
cyswllt
FFERMIO

to be the only parts of the field that are exposed to machinery tyres. This dramatically reduces the effects of compaction in the rest of the field. Controlled Traffic Farming is achieved through effective planning for field systems and can be aided by the use of precision navigation tools and auto steering technology.

Lastly, increasing organic matter levels in soil and reducing tillage intensity and frequency may also help to reduce compaction. Organic matter content can aid drainage, reducing the exacerbating effect of wet soil on compaction. Reducing tillage limits the frequency and intensity of mechanical traffic and may reduce soil organic matter loss from soils. Furthermore, soils that are under no- or min-till management are [inherently more resilient](#) to compaction, particularly in the topsoil.

Summary

Soil compaction is a global challenge for modern agriculture, as this impact can reduce crop yield and increase the need for expensive inputs such as fertiliser and energy. By reducing this harmful influence, UK farms can enhance their potential for production and reduce environmental impact.

Allowing soil to become compacted is economically harmful to farm businesses, as a consequence of reduced crop yield and increased requirement for fertiliser input. In addition, where soil compaction becomes a significant problem, intervention or remediation may become unavoidable. Where this action becomes necessary, it would be expected that any intervention would also require additional investment to reduce the influence of this degrading effect.

January 2018



FARMING
connect
cyswllt
FFERMIO

Note to editors:

For further information contact Dr William Stiles on 01970 823039 or email: wvs@aber.ac.uk. Alternatively visit www.gov.wales/farmingconnect

Background information:

This project has received funding through the Welsh Government Rural Communities - Rural Development Programme 2014-2020, which is funded by the European Agricultural Fund for Rural Development and the Welsh Government.

The Farming Connect Knowledge Transfer Programme and Advisory Service is delivered by Menter a Busnes on behalf of Welsh Government. Lantra Wales leads on the delivery of the Farming Connect Lifelong Learning and Development Programme.

Keywords: Soil, compaction, degradation, machinery, crop yield