

Aberystwyth University

Population structure and transmission of Mycobacterium bovis in Ethiopia

Almaw, Gizat; Mekonnen, Getnet Abie; Mihret, Adane; Aseffa, Abraham; Taye, Hawult; Conlan, Andrew J.K.; Gumi, Balako; Zewude, Aboma; Aliy, Abde; Tamiru, Mekdes; Olani, Abebe; Lakew, Matios; Sombo, Melaku; Gebre, Solomon; Diguimbaye, Colette; Hilty, Markus; Fané, Adama; Müller, Borna; Hewinson, R. Glyn; Ellis, Richard J.

Published in:
Microbial genomics

DOI:
[10.1099/mgen.0.000539](https://doi.org/10.1099/mgen.0.000539)

Publication date:
2021

Citation for published version (APA):

Almaw, G., Mekonnen, G. A., Mihret, A., Aseffa, A., Taye, H., Conlan, A. J. K., Gumi, B., Zewude, A., Aliy, A., Tamiru, M., Olani, A., Lakew, M., Sombo, M., Gebre, S., Diguimbaye, C., Hilty, M., Fané, A., Müller, B., Hewinson, R. G., ... van Tonder, A. J. (2021). Population structure and transmission of Mycobacterium bovis in Ethiopia. *Microbial genomics*, 7(5), Article 000539. <https://doi.org/10.1099/mgen.0.000539>

Document License CC BY

General rights

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal


Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400
email: is@aber.ac.uk

Supplementary Table 1: Model performance based on marginal likelihood estimates (MLE) Bayes factors.

Model	log MLE	log Bayes Factor	Strength of Evidence (Kass & Raftery, 1995)
Relaxed constant	-5604954.493	-	-
Relaxed exponential	-5604956.354	1.861248229	Positive
Strict exponential	-5605103.905	149.4115816	Very strong
Strict constant	-5605106.444	151.9514509	Very strong



Supplementary Figure 1: BEAST dated tip randomization (DTR) analysis. Observed data is highlighted in red.