

Aberystwyth University

The Effect of Different Agrotechnical Treatments on the Establishment of Miscanthus Hybrids in Soil Contaminated with Trace Metals

Krzyżak, Jacek; Rusinowski, Szymon; Sitko, Krzysztof; Szada-Borzyszkowska, Alicja; Stec, Radosław; Jensen, Elaine; Clifton-Brown, John; Kiesel, Andreas; Lewin, Eva; Janota, Paulina; Pogrzeba, Marta

Published in:

Plants

DOI:

[10.3390/plants12010098](https://doi.org/10.3390/plants12010098)

Publication date:

2022

Citation for published version (APA):

Krzyżak, J., Rusinowski, S., Sitko, K., Szada-Borzyszkowska, A., Stec, R., Jensen, E., Clifton-Brown, J., Kiesel, A., Lewin, E., Janota, P., & Pogrzeba, M. (2022). The Effect of Different Agrotechnical Treatments on the Establishment of Miscanthus Hybrids in Soil Contaminated with Trace Metals. *Plants*, 12(1), [98]. <https://doi.org/10.3390/plants12010098>

Document License

CC BY

General rights

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400

email: is@aber.ac.uk

Table S1. Biochar properties, TerraFix Ltd. UK (n=5), bdl – below detection limit

Biochar	
Parameter	
pH (H ₂ O)	9,4 ±0,08
pH (KCl)	8,3 ±0,13
EC [μS/cm]	110,1 ±12
Pb [mg/kg]	2,2 ±0,23
Cd [mg/kg]	bdl
Zn [mg/kg]	47,5 ±2,34
As [mg/kg]	0,3 ±0,08
P [mg/kg]	337 ±7
K [mg/kg]	2738 ±165
Mg [mg/kg]	804 ±15
Cl [%]	0,1 ±0,004
C [%]	77,8 ±0,86
H [%]	3,1 ±0,05
N [%]	0,3 ±0,01
S [%]	0,01 ±0,002

Figure S1. Meteorological data for experiment period (2021-2022) for Bytom site

