

Aberystwyth University

The effect of combined drought and trace metal elements stress on the physiological response of three Miscanthus hybrids

Krzyżak, Jacek; Rusinowski, Szymon; Sitko, Krzysztof; Szada-Borzyszkowska, Alicja; Stec, Radosław; Janota, Paulina; Jensen, Elaine; Kiesel, Andreas; Pogrzeba, Marta

Published in:
Scientific Reports

DOI:
[10.1038/s41598-023-37564-5](https://doi.org/10.1038/s41598-023-37564-5)

Publication date:
2023

Citation for published version (APA):

Krzyżak, J., Rusinowski, S., Sitko, K., Szada-Borzyszkowska, A., Stec, R., Janota, P., Jensen, E., Kiesel, A., & Pogrzeba, M. (2023). The effect of combined drought and trace metal elements stress on the physiological response of three *Miscanthus* hybrids. *Scientific Reports*, 13(1), [10452]. <https://doi.org/10.1038/s41598-023-37564-5>

Document License CC BY

General rights

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400
email: is@aber.ac.uk



Figure S1. The effect of drought (/30) or/and TME contamination (B/), versus fully watered uncontaminated control soil (C/100) on accumulation of elements in roots ($\mu\text{g g}^{-1}$ DW) of three tested *Miscanthus* hybrids. Presented values are means \pm SE (n = 4).




Figure S2. The effect of drought (/30) or/and TME contamination (B/), versus fully watered uncontaminated control soil (C/100) on accumulation of elements in rhizomes ($\mu\text{g g}^{-1}$ DW) of three tested *Miscanthus* hybrids. Presented values are means \pm SE ($n = 4$).